

INDEX

A

AAA, 66–67
Abacterial meningitis, 826–827
Abdominal aortic aneurysm (AAA), 66–67
Abdominal cryptorchidism, 332–333
Abdominal obesity, 910
Abdominal pregnancy, 436–437
Abdominal rigidity, A-2
Abnormal uterine bleeding (AUB), 424–425
Abortion
 recurrent, 4–5, A-4
 spontaneous, 4–5
Abruptio placentae, 6–7
Abscess
 anorectal, 78–79
 brain (cerebral), 182–183
 breast, 190–191, 494
 cerebral, 182–183
 ischioanal, 78–79
 lung, 786–787
 mammary, 190–191
 peripheral breast, 190–191
 peritonsillar, 994–995
 puerperal, 190–191
 pulmonary, 786–787
 subareolar, 190–191
 subdiaphragmatic, 1262–1263
 subphrenic, 1262–1263
 supralevator, 78–79
 tubo-ovarian, 978–979
Absence seizure disorder, 1198–1199
Abstinence, periodic, 315
Abuse
 child, 262–263
 drug, 1264–1265
 laxative, 750–751
 spousal, 416–417
Accelerated hypertension, 660–661
Accidental hypothermia, 682–683
Acetaminophen
 dosing of, 8
 poisoning with, 8–9
Achlorhydria, 1412
Acid burn, of eye, 914–915
Acidosis, A-6
AC joint osteoarthritis, 1216
ACL injury, 10–11
Acne
 acne inversa, 608–609
 acne rosacea, 12–13
 acne vulgaris, 14–15
 signs and symptoms algorithm for, A-7
Acoustic neuroma, 16–17
Acquired angioedema (AAE), 70–71
Acquired hypoparathyroidism, 678–679
Acquired idiopathic sideroblastic anemia (AISA), 880–881
Acquired immunodeficiency syndrome (AIDS), 618–619

Acromioclavicular (AC) joint osteoarthritis, 1216
Acrophobia, 1006–1007
Actinic keratosis, 340, 734–735
Activated protein C, 1082
Acupuncture, 298
Acute angle-closure glaucoma, 532–533
Acute anterior poliomyelitis, 1040–1041
Acute bacterial endocarditis, 444–445
Acute catarrhal fever, 702–703
Acute circumscribed otitis externa, 940–941
Acute confusional state, 358–359
Acute coronary syndrome, A-38
Acute diffuse otitis externa, 940–941
Acute febrile respiratory illness (AFRI), adenovirus, 20–21
Acute idiopathic polyneuritis, 554–555
Acute immune-mediated polyneuritis, 554–555
Acute inflammatory demyelinating polyradiculoneuropathy, 554–555
Acute inflammatory neuropathy, 554–555
Acute intermittent porphyria (AIP), 1054–1055
Acute interstitial allergic nephritis, 714–715
Acute interstitial pneumonia (AIP), 404–405
Acute laryngitis, 748–749
Acute lateral poliomyelitis, 1040–1041
Acute lymphoblastic/lymphocytic leukemia (ALL)
 in adults, 766–767
 L3 type, 800–801
Acute mental status change, 358–359
Acute mountain sickness (AMS), 34–35
Acute myelodysplastic syndromes with sclerosis, 880–881
Acute myeloid leukemia (AML), 762–765, 880
Acute myocardial infarction (AMI), 884–885
Acute necrotizing ulcerative gingivitis, 1250–1251
Acute nonlymphoblastic leukemia (ANLL), 762–765
Acute otitis media (AOM), 942–943
Acute pancreatitis, 958–959
Acute peripheral vestibulopathy, 740–741
Acute pharyngoconjunctival fever (APC), from adenovirus, 20–21
Acute renal failure (ARF), 1132–1133
Acute respiratory disease (ARD), from adenovirus, 20–21
Acute respiratory distress syndrome (ARDS), 1138–1139
Acute respiratory distress syndrome (ARDS), from near drowning, 894–895
Acute rheumatic fever (ARF), 1162–1163
Acute suppurative pericarditis, 986–987
Acute upper urinary tract infection, 1112–1113
Acute vestibular neuronitis, 1410–1411

ADAM syndrome, 1298–1299
Addiction
 alcohol, 24–25
 drug, 1264–1265
 gambling, 514–515
 nicotine, 906–907
 substance, 1264–1265
Addison disease, 18–19
Addisonian crisis, 18–19
Adenocarcinoma, of bladder, 166–167
Adenosis, 1394
Adenovirus infections, 20–21
Adherent bursitis, 508–509
Adhesive capsulitis, 508–509, 1216
Adipositas (adiposity), 910–911
Adnexitis, 978–979
Adoption, international, 22–23
Adrenal crisis, 18–19
Adrenergic urticaria, 1386–1387
Adrenocortical insufficiency
 primary, 18–19
 secondary, 18
 signs and symptoms algorithm for, A-8
 tertiary, 19
Adult colonization botulism, 180–181
Adult polycystic kidney disease (APKD), 1044–1045
Advisory Committee on Immunization Practices (ACIP)
 for adults, AppB-1
 for children, AppA-1
Aeromonas hydrophila lymphangitis, 794–795
Aerosolized botulism, 180–181
Aerotitis, 150–151
African kala azar, 758–759
African Kaposi sarcoma, 728–729
Agammaglobulinemia, 692–693
Aganglionic megacolon, 306–307
Age-associated memory impairment, 848–849
Age-related cataract, 232–233
Age-related cognitive decline, 848–849
Age-related macular degeneration (ARMD), 802–803
Agoraphobia, 1006–1007
Agoraphobia, panic disorder with, 960–961
AIDS, 618–619
AIDS-related Kaposi sarcoma, 728–729
Air embolism, 100–101
Air sickness, 866–867
Akathisia, leg, 1144–1147
Albumin, A-103
Alcohol, methyl, 844–845
Alcohol abuse, 24–25
Alcohol dependence, 24–25
Alcoholism, 24–25
Alcohol use disorders, 24–25
Alcohol withdrawal, 26–27
Alcohol withdrawal syndrome (AWS), 26–27

I-2 . . . Index

- Aldosterone-producing adenoma (APA), 28–29
- Aldosteronism
primary, 28–29
signs and symptoms algorithm for, A-9
- Aldosteronoma, 28–29
- Aleukia hemorrhagica, 54–55
- Algorithms, signs and symptoms. See Signs and symptoms algorithms
- Alkaline burn, of eye, 914–915
- Alkaline phosphatase elevation, A-10
- Alkalosis, A-11
- Allergic alveolitis, extrinsic, 654–655
- Allergic angitis, 454–455
- Allergic aspergillosis, 122–123
- Allergic bowel disease, 500–501
- Allergic bronchopulmonary aspergillosis (ABPA), 122–123, 454–455
- Allergic contact dermatitis (ACD), 378–379
- Allergic interstitial pneumonitis, 654–655
- Allergic rhinitis, 1164–1165
- Allergy, food, 500–501
- Alopecia, 30–31, A-12
- Alopecia areata, 30–31
- α -thalassemia, 1304–1305
- Alport syndrome, 32–33
- ALS, 46–47
- ALS-like syndrome, 46
- ALS-Parkinson-dementia complex of Guam, 46–47
- Altered mental status, 358–359
- Alternative medicine, 298–299
- Altitude illness, 34–35
- Alveolitis, extrinsic allergic, 654–655
- Alzheimer dementia and disease (AD), 36–37, 360–361
- Alzheimer disease, early, 848–849
- Amastia, 494
- Amblyopia, 38–39
- Amblyopia ex anopsia, 38
- Amebiasis, 40–41
- Amebic colitis, 40–41
- Amebic dysentery, 40–41
- Amenorrhea, 42–43
primary, A-13
secondary, A-14
- Ametropia, 1126–1127
- δ -Aminolevulinic aciduria, 1054–1055
- Amnesia
dissociative, 412–413
signs and symptoms algorithm for, A-15
- Ampulla cardiomyopathy, 1342–1343
- Amyloidosis, 44–45
- Amyotrophic lateral sclerosis (ALS), 46–47
- Anaerobic infections, 48–49
- Anagen effluvium, 30–31
- Anal fissure, 50–51
- Anal fistula, 80–81
- Anaphylactoid reactions, 52–53
- Anaphylaxis, 52–53
- Anaplastic carcinoma (of thyroid), 1316–1317
- Anaplastic cell carcinoma of thyroid, 1316–1317
- ANCA-associated glomerulonephritis, 536–537
- Ancylostoma braziliense* infection, 1174–1175
- Ancylostoma duodenale* infection, 1172–1173
- Androgen deficiency in the aging male (ADAM) syndrome, 1298–1299
- Androgenic alopecia, 30–31
- Anemia
acquired idiopathic sideroblastic, 880–881
aplastic, 54–55
autoimmune hemolytic, 56–57
of chronic blood loss, 60–61
of chronic disease, 58–59
congenital, of newborn, 474–475
Cooley's, 1304–1305
hypochromic, 60–61
hypoplastic, 54–55
iron deficiency, 60–61
Mediterranean, 1304–1305
microangiopathic hemolytic, 1312
microcytic, 60–61
pernicious, 1412–1413, 1416–1417
refractory, 54–55, 880–881
sickle cell, 62–63
sideroblastic, 64–65
signs and symptoms algorithm for, A-16
toxic paralytic, 54–55
- Aneurysm
abdominal aortic, 66–67
dissecting, 92–93
- Angiitis, allergic, 454–455
- Angina, 68–69
- Anginal equivalent, 68–69
- Angioedema, 70–71
- Angioedema, vibratory, 1386–1387
- Angiomatosis, bacillary, 154–155
- Angioneurotic edema, 70–71
- Angular cheilitis, 218–219
- Animal bites, 72–73
- Anisometropic amblyopia, 38
- Ankle fractures, 74–75
- Ankle sprain, 1236–1237
- Ankylosing spondylitis (AS), 76–77
- Anorectal abscess, 78–79
- Anorectal fistula, 80–81
- Anorexia, A-17
- Anorexia nervosa, 82–83
- Ant bites and stings, 708–709
- Anterior chest wall syndrome, 322–323
- Anterior cord syndrome, 250–251
- Anterior cruciate ligament (ACL), 10
- Anterior cruciate ligament (ACL) injury, 10–11, 832
- Anterior drawer test, 10, 11
- Anterior talofibular ligament sprain, 1236–1237
- Anterior uveitis, 1392–1393
- Anthrax, 84–85
- Antibiotic-associated colitis, 1096–1097
- Antibiotic-associated diarrhea, 286–287
- Anti-GBM disease, 536–537
- Antiphospholipid antibody syndrome (APS), 86–87
- Antisocial personality disorder, 968
- Anti-synthetase syndrome, 1052–1053
- Antithrombin, 88
- Antithrombin deficiency, 88–89
- Antithrombin III deficiency, 88–89
- Anuria, A-18
- Anxiety, 90–91, A-19
- Anxiety disorders
generalized anxiety disorder, 522–523
phobias, 1006–1007
- Aorta, coarctation of, 288–289
- Aortic aneurysm, 66–67
- Aortic aneurysm, abdominal, 66–67
- Aortic dissection, 92–93
- Aorticopulmonary communication, 972–973
- Aorticopulmonary shunt, 972–973
- Aortic valvular stenosis, 94–95
- Aovulation, 424
- Apical ballooning syndrome, 1342–1343
- Aplastic anemia, 54–55
- Apocrinosis, 608–609
- Appendicitis, acute, 96–97
- Aquagenic urticaria, 1386–1387
- Arachnoiditis, spinal tuberculous, 1358–1359
- Aromatherapy, 298
- Arrhythmogenic right ventricular dysplasia, 226–227
- Arterial embolus, 98–99
- Arterial gas embolism, 100–101
- Arterial thrombosis, 98–99
- Arteriosclerosis, 128
- Arteriosclerosis, coronary, 102–103
- Arteriosclerotic heart disease, 102–103
- Arteriovenous malformation (AVM) rupture, 1256
- Arteritis, giant cell, 524–525
- Arthritis
asymmetric oligoarthritis, 112–113
cervical, 252–253
Charcot joint, 258–259
fungal, 106–107
idiopathic blenorrhoeal, 1128–1129
infectious bacterial, 104–105
infectious bacterial, subacute, 106–107
infectious granulomatous, 106–107
juvenile, 108–109
juvenile idiopathic, 108–109
juvenile rheumatoid, 108–109
Lyme, 792–793
mycobacterial, 106–107
osteoarthritis, 110–111
AC joint, 1216
glenohumeral joint, 1216
knee pain from, 738–739
psoriatic, 112–113
rheumatoid, 114–115
spondyloarthritis, 112–113
suppurative (septic, pyogenic), 104–105
symmetric polyarthritis, 112–113
- Arthritis mutilans, 112–113
- Arthritis urethritica, 1128–1129
- Arthropod bites and stings, 708–709
- Artificial insemination (AI), 116–117
- Asbestosis, 118–119
- Asbestos pneumoconiosis, 118–119
- Ascaris lumbricoides* infection, 1172–1173
- Ascites, 120–121, A-20
- Ascorbic acid, 1416–1417
- ASD, 138–139
- Aseptic meningitis, 826–827
- Asiatic cholera, 274–275
- Asperger's disorder, 138
- Aspergillomas, 122–123
- Aspergillosis, 122–123

- Aspergillosis, allergic bronchopulmonary, 454–455
Aspiration pneumonia, 1028–1029
Aspirin poisoning, 1176–1177
Assault, sexual, 1120–1121
AST elevation, A-22
Asthma, 124–125
Asthma exacerbation, pediatric acute, A-21
Astigmatism, 1126–1127
Asymmetric oligoarthritis, 112–113
Ataxia, A-23
Ataxia telangiectasia (A-T), 692–693
Atelectasis, 126–127
Atheroma, 128
Atherosclerosis, 128–129
Athlete's foot, 1322–1323
Atlantoaxial dislocation
 posterior, 250
 rotary, 250
Atlanto-occipital dislocation, 250
Atopic dermatitis, 376–377
Atopic eczema, 376–377
Atopic neurodermatitis, 376–377
Atrial fibrillation (AF), 130–131
Atrial flutter, 132–133
Atrial septal defect (ASD), 134–135
Atrophic gastritis, 518–519, 1412
Atrophic glossitis, 538–539
Attacks, 1202–1203
Attention deficit/hyperactivity disorder (ADHD), 136–137
ATV accidents, 706–707
Atypical pneumonia, *Chlamydia pneumoniae* in, 264–265
Auditory tube dysfunction, 480–481
Aura, migraine with, 846–847
Autism, 138–139
Autistic disorder, 138
Autistic spectrum disorders (ASD), 138
Autoeczematization, 686–687
Autoimmune hemolytic anemia, 56–57
Autoimmune hepatitis (AIH), 586–587
Autoimmune lymphoproliferative syndrome (ALPS), 692–693
Autoimmune polyglandular syndrome type 1, 692–693
Autoimmune thrombotic syndromes, 86–87
Autoinflammatory disorders, 692–693
Autonomic dysreflexia (AD), 140–141
Autonomic neuropathy, diabetic, 398–399
Autosomal dominant Alport syndrome (ADAS), 32–33
Autosomal recessive Alport syndrome (ARAS), 32–33
Autosomal recessive polycystic kidney disease (ARPKD), 1044–1045
Avascular necrosis, 936–937
Avian flu, 142–143
Avian influenza A subtype H5N1, 142–143
Avoidant personality disorder, 968
Axillary mass, A-24
Axonal neuropathy, 592–593
Ayurvedic medicine, 298
- B**
Babesiosis (*Babesia* infection), 144–145
Babinski sign positive, A-25
Bacillary angiomatosis, 154–155
Bacillary peliosis, 154–155
Bacillus anthracis infection, 84–85
Back pain
 acute, A-26
 low, 782–783
Bacteremia, *Salmonella*, 1180–1181
Bacterial arthritis, 104–105
Bacterial arthritis, subacute, 106–107
Bacterial diarrhea, acute, 400–401
Bacterial endocarditis, 444–445
Bacterial meningitis, 824–825
Bacterial pneumonia, 1030–1031
Bacterial tracheitis, 1336–1337
Bacterial vaginitis, 1402–1403, 1426–1427
Bacterial vaginosis (BV), 1402–1403
Bacterium tularensis, 1366–1367
Baker cyst, 146–147
Balanitis, 148–149
Balanitis, *Candida*, 216, 218–219
Bancroftian filariasis, 1174–1175
Barotitis media. *See* Barotrauma
Barotrauma, 150–151
 dental, 150–151
 middle ear and sinuses, 150–151
 pulmonary, 150–151
Barrett's esophagus, 152–153
Bartonella infections, 154–155
Bartonellosis, 154–155
Basal cell carcinoma (BCC), 156–157
Basilar migraine, 846–847
B-cell immunodeficiencies, 692–693
B-cell lymphoma, high-grade, 800–801
Becker muscular dystrophy (BMD), 876–877
Bedsore, 1068–1069
Bed wetting, 452–453
Bee stings, 708–709
Behavioral issues, pediatric, 974–975
Behavioral therapy, 324
Behçet disease, 1250–1251
Behçet syndrome, 158–159
Bell palsy, 160–161
"Bends, the," 352–353
Benign breast disease, 494–495
Benign hypertension, 656–657
Benign migratory glossitis (BMG), 538–539
Benign ovarian tumor, 950–951
Benign paroxysmal positional vertigo (BPPV), 1410–1411
Benign prostatic enlargement (BPE), 1078–1079
Benign prostatic hyperplasia (BPH), 1078–1079
Bernard-Horner syndrome, 626–627
Bernard syndrome, 626–627
Besnier-Boeck disease, 1182–1183
Besnier prurigo, 376–377
 β -thalassemia, 1304–1305
 β -thalassemia intermedia, 1304
 β -thalassemia major, 1304
Bilateral acoustic neurofibromatosis (NF2), 902–903
Bilateral facet dislocation, cervical, 250
Billowing mitral cusp syndrome, 858–859
Binge-eating/purging
 in anorexia nervosa, 82–83
 in bulimia nervosa, 208–209
Bipolar disorder, 368, 1102
Bipolar I disorder, 162–163
Bipolar II disorder, 164–165
Bird-breeder's disease, 1098–1099
Bird-fancier lung, 1098–1099
Bites
 human, 72–73
 insect, 708–709
Black death, 1022–1023
Black fever, 758–759
Black widow spider, 708–709
Bladder, overactive, 698–699
Bladder cancer, 166–167
Bladder injury, 168–169
Bladder stones, 1384–1385
Blastomyces dermatidis, 170–171
Blastomycetia, *Candida*, 216
Blastomycosis, 170–171
Bleeding, signs and symptoms algorithms for
 gastrointestinal, A-30
 gums, A-27
 intermenstrual, A-123
 menorrhagia, A-121
 under skin, A-28
 urethral, A-29
Blepharitis, 172–173
Blocked eustachian tube, 480–481
Blood-injection/injury phobia, 1006–1007
Blood loss, chronic, anemia of, 60–61
Blood pressure, high. *See* Hypertension
Blood sugar. *See also* Hypoglycemia
 high, A-96
 low, A-105
Body dysmorphic disorder, 174–175
Body lice, 976–977
Body mass index (BMI), 910
Boeck sarcoid, 1182–1183
Boils, 510–511
Bone mineral disease, 346
Bone tumor, primary malignant, 176–177
Bonnieville-Ullrich syndrome, 1368–1369
Borderline personality disorder, 178–179, 968
Botulism, 180–181. *See also* Food poisoning, bacterial
Bourneville disease, 1364–1365
Bowel parasites, 718–721
Bowels, loose, 402–403. *See also* Diarrhea
Bowen disease, 1398–1399, 1422–1423
Brain abscess, 182–183
Brain attack, 1252–1253
Brain injury, traumatic (TBI), 186–187
Brain injury, traumatic (TBI), post-acute care issues in, 184–185
Branchial cleft fistula, 188–189
Breast
 discharge from, A-31
 fibrocystic changes of, 494–495
 hypertrophy of, male, 556–557
 mastitis of, 812–813
 Paget disease of, 952–953
 pain in, 810–811, A-32
Breast abscess, 190–191
Breast cancer, 192–193
Breast-feeding, 194–195
Breech birth, 196–197
Brill-Zinsser disease, 1372–1373
Briquet syndrome, 1230–1231

I-4 . . . Index

- Broken heart syndrome, 1342–1343
Bronchiectasis, 198–199
Bronchiolitis, 200–201
 obliterative, 202–203
 pediatric, RSV, 1142–1143
Bronchiolitis obliterans and organizing pneumonia (BOOP), 202–203
Bronchitis
 acute, 204–205
 chronic, 280–281
Bronchogenic carcinoma, 788–789
Brontophobia, 1006–1007
Bronze diabetes, 568–569
Brown recluse spider, 708–709
Brown-Sequard syndrome, 250
Brucella
 arthritis from, 106–107
 systemic infection with, 206–207
Brucellosis, 206–207
Brugia malayi infection, 1174–1175
Brugia timori infection, 1174–1175
Buerger disease, 1308–1309
Bug bites, 708–709
Bulbar poliomyelitis, 1040–1041
Bulimia nervosa, 208–209
Bullous impetigo, 694–695
Bullous pemphigoid (BP), 980–981
Bunion, 210–211
Bunionette, 211
Burkitt cell leukemia, 800–801
Burkitt lymphoma, 800–801
Burnett syndrome, 852–853
Burning vulva syndrome, 1090–1091
Burns, 212–213
Bursa, 214
Bursitis, 214–215, 1352
 adherent (obliterative), 508–509
 shoulder, 1216
 trochanteric, 1352–1353
- C**
C. diff, 286–287
C1 posterior arch fracture, 250
C3 and mannose binding lectin deficiency, 692–693
CAGE questionnaire, 22
Caisson disease, 352–353
Calcaneofibular ligament sprain, 1236–1237
Calciferol deficiency, 1416–1417
Calcium disorders
 hypercalcemia
 Fanconi-type idiopathic infantile, 1434–1435
 with malignancy, 636–637
 signs and symptoms algorithm for, A-93
 hypocalcemia, A-104
Calcium pyrophosphate deposition (CPPD) disease, 1094–1095
Calcium pyrophosphate dihydrate (CPPD) crystal deposition, 1094–1095
Calculi
 renal (urinary), 1384–1385, A-155
 salivary gland, 1178–1179
Calendar method, 314–315
Calluses, 320–321
Calymmatobacterium granulomatis infection, 548–549
- Canadian CT head rule, 1058
Canalicular cryptorchidism, 332–333
Cancer. *See also* Carcinoma
 bladder, 166–167
 breast, 192–193
 cervical, 2–3, 246–247
 colorectal, 296–297
 corpus, 446–447
 endometrial, 446–447
 gastric, 516–517
 hypercalcemia with, 636–637
 laryngeal, 746–747
 liver, 588–589
 lung, 788–789
 myositis with, 1052
 ovarian, 946–947
 pancreatic, 956–957
 prostatic, 1076–1077
 salivary gland, 922–923
 stomach, 516–517
 testicular, 1294–1295
 tongue, 922–923
 uterine, 446–447
 uterine cervix, 246–247
 vaginal, 1398–1399
 vulvar, 1422–1423
Candida albicans infection, 216–217
Candida balanitis, 218–219
Candida esophagitis, 218–219
Candida folliculitis, 498–499
Candida vaginitis, 1402–1403
Candida paronychia, 218–219
Candida vulvovaginitis, 218–219
Candidemia, 216–217
Candidiasis, 216–217. *See also* AIDS; HIV
 infection; Vulvovaginitis, *Candida*
 chronic mucocutaneous, 692–693
 mucocutaneous, 218–219
Capsulitis, adhesive, 508–509
Carbon monoxide poisoning, 220–221
Carcinoma. *See also* Cancer
 adenocarcinoma of bladder, 166–167
 anaplastic, of thyroid, 1316–1317
 basal cell, 156–157
 bronchogenic, 788–789
 cervical, 246–247
 cutaneous squamous cell, 340–341
 epidermoid, 340–341
 follicular, of thyroid, 1316–1317
 hepatocellular, 588–589
 Hürthle cell, of thyroid, 1316–1317
 hypercalcemia with, 636–637
 lip, 922–923
 medullary thyroid, 1316–1317
 of pancreas, 956–957
 papillary, of thyroid, 1316–1317
 prickle cell, 340–341
 of prostate, 1076–1077
 renal cell, 1130–1131
 small-cell, of bladder, 166–167
 squamous intraepithelial, 2–3
 transitional cell, of bladder, 166–167
 verrucous, 340
Carcinosarcoma, mixed Müllerian, 446–447
Cardiac arrest, 222–223
Cardiac arrhythmias, A-33
Cardiac tamponade, 224–225
- Cardiogenic shock, 1214–1215
Cardioinhibitory carotid sinus syndrome, 228–229
Cardiomegaly, A-34
Cardiomyopathy
 dilated, 226–227
 end-stage, 226–227
 hypertrophic, 226–227
 hypertrophic obstructive, 688–689
 restrictive, 226–227
 transient stress (Takotsubo), 1342–1343
Carotid sinus hypersensitivity, 228–229
Carotid sinus syncope, 228–229, 1278–1279
Carotid sinus syndrome, 228–229
Carpal tunnel syndrome, 230–231, A-35
Carrion disease, 154–155
Car sickness, 866–867
Cataplexy, 890
Cataract, 232–233
 age-related, 232–233
 complicated, 232–233
 congenital, 232–233
 metabolic, 232–233
 signs and symptoms algorithm for, A-36
 toxic/nutritional, 232–233
 traumatic, 232–233
Catarrhal fever
 acute, 702–703
Catastrophic antiphospholipid antibody syndrome, 86–87
Cat bites, 72–73
Caterpillars, 708–709
Cathartic colon, 750–751
Cat scratch disease (CSD), 154–155
Causalgia, 300–301
CBD calculi, 270–271
CBD stones, 270–271
Celiac disease, 234–235
Celiac sprue, 234–235
Cellulitis, 236–237. *See also* Animal bites;
 Erysipelas
 dissecting scalp, 236–237
 of extremities, 236–237
 facial, 236–237
 leg, after saphenous vein removal, 236–237
 necrotizing, 48–49
 orbital, 238–239
 pelvic, metritis with, 450–451
 perianal, 236–237
 periorbital, 240–241 (*See also* Animal bites;
 Erysipelas)
 postseptal, 238–239
 preseptal, 240–241
 Pseudomonas, 236–237
Centipedes, 708–709
Central cord syndrome (CCS), 250
Central cord syndrome (CCS), acute, 244–245
Central diabetes insipidus, 390–391
Cerebral abscess, 182–183
Cerebral air embolism, 100–101
Cerebral carotid sinus syndrome, 228–229
Cerebral edema, high-altitude, 34–35
Cerebral palsy, 242–243
Cerebrovascular accident, 1252–1253
Cervical acceleration-deceleration injury, 244–245
Cervical arthritis, 252–253

- Cervical bruit, A-37
Cervical cancer, 2-3, 246-247
Cervical carcinoma, 246-247
Cervical dysplasia, 2-3
Cervical dystonia, idiopathic, 1330-1331
Cervicalgia, 252-253
Cervical hyperextension injuries, 244-245
Cervical intraepithelial neoplasia (CIN), 2-3
Cervical malignancy, 246-247
Cervical myelopathy, 252-253
Cervical osteophyte, 252-253
Cervical polyps, 248-249
Cervical pregnancy, 436-437
Cervical rib syndrome, 1306-1307
Cervical smear, abnormal, 2-3
Cervical spine injury, 250-251
Cervical spondylosis, 252-253
Cervical sprain, 244-245
Cervical strain, 244-245
Cervical sympathetic syndrome, 626-627
Cervicitis, 254-255
CF-related diabetes (CFRD), 346
Chancroid, 256-257. *See also* Syphilis
Character disorders, 996-997
Character pathology, 996-997
Charbon, 84-85
Charcot joint, 258-259
Charcot-Marie-Tooth disease (CMT), 592-593
Chediak-Higashi syndrome, 692-693
Cheilitis, angular, 218-219
Cheiropompholyx, 426-427
Chemical ocular injuries, 914-915
Chest pain, A-38
Chiari II abnormality, 830-831
Chiari II malformation, 830-831
Chicago disease, 170-171
Chickenpox, 260-261
Child abuse, 262-263
Childhood autism, 138-139
Childhood disintegrative disorder, 138
Childhood periodic syndromes, 846-847
Child maltreatment, 262-263
Child neglect, 262-263
Chills, recurrent, A-39
Chinese herbs, 298
Chinese medicine, traditional, 298
Chlamydial sexually transmitted diseases, 266-267
Chlamydia pneumoniae, 264-265
Chlamydia trachomatis, STDs from, 266-267
Chlamydia pneumoniae, 264-265
Chlorosis, 60-61
Cholangitis, acute, 268-269. *See also* Cholelithiasis
Cholelithiasis
Choledocholithiasis, 270-271
Cholelithiasis, 272-273
Cholera, 274-275, 922
Cholera gravis, 274-275
Cholesterol, high, 638-641, A-94
Cholinergic urticaria, 1386-1387
Chondrocostal junction syndrome, 322-323
Chondrodynia, parasternal, 322-323
Chondrosarcoma, 176-177
Chordoma, 176-177
Chorea, Huntington, 628-629
Chorioretinitis, 1392-1393
Choroiditis, 1392-1393
"Christmas" disease, 570-571
Chronic angle-closure glaucoma, 532-533
Chronic cough, 276-277
Chronic cutaneous lupus erythematosus, 790-791
Chronic cystic mastitis, 812-813
Chronic disease, anemia of, 58-59
Chronic fatigue syndrome, 278-279
Chronic granulomatous disease, 692-693
Chronic hypertension, 656-657
Chronic idiopathic myelofibrosis (CIMF), 882-883
Chronic inflammatory demyelinating polyneuropathy (CIDP), diabetic, 398-399
Chronic kidney disease (CKD), 1134-1135
Chronic laryngitis, 748-749
Chronic lymphocytic leukemia (CLL), 768-769
Chronic mucocutaneous candidiasis, 692-693
Chronic myelogenous leukemia (CML), 770-771
Chronic myeloid leukemia (CML), 882-883
Chronic myelomonocytic leukemia (CMML, CMML), 880-881
Chronic obstructive pulmonary disease (COPD), 280-281, A-40-41
Chronic open-angle glaucoma, 534-535
Chronic otitis externa, 940-941
Chronic otitis media, 942-943
Chronic pancreatitis, 958-959
Chronic progressive hereditary chorea, 628-629
Chronic pulmonary histoplasmosis, 614-615
Chronic renal failure (CRF), 1134-1135
Chronic renal insufficiency (CRI), 1134-1135
Chronic sycosis barbae, 1092-1093
Chronic ulcerative stomatitis, 1250-1251
Chronic urate nephropathy, 896-897
Churg-Strauss arteritis, 1406-1407
Churg-Strauss syndrome, 454-455
Chylomicronemia syndrome, 664-665
Cicatrical alopecia, 30-31
CID. *See* Cytomegalovirus (CMV) inclusion disease
CID CMV, 348-349
Cigarette smoking, 1328-1329
Circulatory shock, 1214-1215
Cirrhosis
of liver, 282-283
renal failure of, 590-591
signs and symptoms algorithm for, A-42
Clap, 542-543
Classic angina, 68-69
Classic distal renal tubular acidosis, 1136-1137
Claudication, 284-285
Clavi, 320-321
Clay shoveler fracture, 250
Climacteric, 834-835
Climatic bubo, 798-799
Clinical otosclerosis, 944-945
Clostridium botulinum infection, 180-181
Clostridium difficile-associated disease/diarrhea (CDAD), 286-287
Clostridium difficile colitis, 1096-1097
Clostridium difficile infection, 286-287
Clubbing, A-43
Cluster A personality disorder, 962-963, 996-997
Cluster B personality disorder, 616-617, 888-889, 996-997
Cluster C personality disorder, 996-997
Cluster headache, 558-559
CMT2, 592-593
CMT3, 592-593
CMTX, 592-593
CMV (cytomegalovirus inclusion disease), 348-349
CNS vasculitis, isolated, 1406-1407
Coagulopathy, consumptive, 410-411
Coarctation of aorta, 288-289
Cobalamin deficiency, 1412-1413, 1416-1417
Cocci, 290-291
Coccidioides immitis infection, 290-291
Coccidioidomycosis, 290-291
Code blue, 222-223
Cognitive behavioral therapy (CBT), 324
Cognitive decline, age-related, 848-849
Cognitive impairment, mild, 848-849
Cognitive impairment not dementia (CIND), 848-849
Cold, common, 1376-1377
Cold agglutinin-positive pneumonia, 1032-1033
Cold urticaria, 1386-1387
Colic, 292
Colic, infantile, 292-293
Colitis
amebic, 40-41
antibiotic-associated, 1096-1097
Clostridium difficile, 1096-1097
enterocolitis
pseudomembranous, 1096-1097
Salmonella, 1180-1181
mucous, 726-727
pseudomembranous, 1096-1097
ulcerative, 1374-1375
Collapsed lung, 1038-1039
Colon
cathartic, 750-751
diverticula of, 414-415
irritable (nervous, spastic), 726-727
Colonic polyps, 294-295
Colorectal cancer (CRC), 296-297
Coma
hepatic, 578-579
signs and symptoms algorithm for, A-44
Combined immunodeficiencies, 692-693
Comedonal acne, 14-15
Common cold, 1376-1377
Common variable immunodeficiency, 692-693
Common wart, 1428-1429
Communicating hydrocele, 630-631
Community-acquired meningitis, 824-825
Community-acquired methicillin-resistant *Staphylococcus aureus* (CA-MRSA) skin infection, 868-869
Community-acquired pneumonia (CAP), bacterial, 1030-1031
Complementary and alternative medicine (CAM), 298-299
Complementary medicine, 298
Complement immunodeficiencies, 692-693

I-6 . . . Index

- Complete abortion, 4–5
Complete breech presentation, 196–197
Complex partial seizure, 1200–1201
Complex regional pain syndrome (CRPS), 300–301, 904
Complications, surgical, 1274–1275
Compressive atelectasis, 126–127
Concussion, 302–303, 1058
Concussion, postconcussive syndrome after, 1058–1059
Condom, 314–315
Conductive hearing loss, 562–563, 944–945
Condylomata acuminata, 304–305, 1428–1429
Confusion Assessment Method (CAM), 358
Congenital anemia of newborn, 474–475
Congenital cataract, 232–233
Congenital erythropoietic porphyria, 1054–1055
Congenital hypomyelinating neuropathy (CHN), 592–593
Congenital megacolon, 306–307
Congenital muscular dystrophy (CMD), 876–877
Congenital muscular torticollis, 1330–1331
Congenital myasthenia gravis syndrome, 878–879
Congestive heart failure (CHF), 308–309, A-45–46
Conjunctivitis
 acute, 310–311 (See also Rhinitis, allergic)
 acute follicular, adenovirus, 20–21
 adenovirus, 20–21
 herpes, 596–597
Conn syndrome, 28–29
Constipation, 312–313
Constitutional dermatitis, 376–377
Consumptive coagulopathy, 410–411
Consumptive thrombocytopenia, 1312
Contact dermatitis, 378–379
Contact dermatitis, allergic, 378–379
Contact urticaria, 1386–1387
Contraception, 314–315
Contraceptive sponge, 314
Convulsions, 1202–1203
 febrile, 1204–1205
 status convulsivus, 1242–1243
 tonic-clonic (grand mal, generalized convulsive seizure), 1242–1243
Cooley's anemia, 1304–1305
Copperhead snake, 1226
Copper IUD, 314–315
Copper T, 314–315
Coral snakebite, 1228–1229
Coral snake envenomations, 1228–1229
Corneal abrasion, 318–319
Corneal ulceration, 318–319
Corns, 320–321
Coronary air embolism, 100–101
Coronary arteriosclerosis, 102–103
Coronary artery disease, 102–103
Coronary heart disease, 102–103
Cor pulmonale, 316–317
Corpus cancer, 446–447
Corruption of a minor, 1120
Corticoadrenal insufficiency, 18–19
Corticotropinoma, 1014–1015
Corynebacterium diphtheriae infection, 408–409
Corynebacterium vaginitis, 1402–1403
Costochondritis, 322–323
Costoclavicular syndrome, 1306–1307
Costosternal syndrome, 322–323
Cot death, 1266–1267
Cottonmouth snake, 1226
Cough
 chronic, 276–277
 signs and symptoms algorithm for, A-47
 whooping, 998–999
Counseling, 324
Counseling types, 324–325
Coxsackievirus group A virus, herpangina from, 594–595
Crabs, 976–977
Cradle cap, 386–387
CRAFFT questionnaire, 1264
Cramps, menstrual, 428–429
Craniosacral therapy, 298
Creeping eruption, 1174–1175
CREST syndrome, 1192
Crib death, 1266–1267
Crohn disease, 326–327
Crotalidae envenomations, 1226–1227
Crotaline snake envenomations, 1226–1227
Croup, 328–329, 748–749
Croup, pseudomembranous, 1336–1337
Cryoglobulin-associated glomerulonephritis, 536–537
Cryoglobulin-associated vasculitis, 536–537
Cryptococcal meningitis, 330–331
Cryptococcosis, 330–331
Cryptococcus neoformans infection, 330–331
Cryptogenic organizing pneumonia, 202–203
Cryptorchidism, 332–333, 1294, A-48
CT head rule, Canadian, 1058
Cubital tunnel syndrome, 334–335
Cullen ulcer, 48–49
Cushing disease and syndrome, 336–337, A-49
Cutaneous diphtheria, 408–409
Cutaneous drug reactions, 338–339
Cutaneous larva migrans, 1174–1175
Cutaneous leishmaniasis, 758–759
Cutaneous squamous cell carcinoma, 340–341
Cutaneous T-cell lymphoma, 342–343
Cyanosis, A-50
Cyclic neutropenia, 692–693
Cyclic vomiting syndrome, 344–345
Cyst
 Baker, 146–147
 breast, 494
 popliteal, 146–147
 thyroglossal duct, 1314–1315
Cysticercosis, 1284–1285
Cystic fibrosis (CF), 346–347
 bronchiectasis in, 198–199
Cystic mastitis, chronic, 812–813
Cystitis
 in females, 1380–1381
 interstitial, 712–713
 in males, 1382–1383
Cytomegalovirus (CMV) inclusion disease, 348–349
Cytopenia, refractory
 with multilineage dysplasia, 880–881
 with multilineage dysplasia and ringed sideroblasts, 880–881
D
Danis-Weber system, 72
Decompression sickness (DCS), 352–353.
 See also Barotrauma
Decubitus ulcer, 1068–1069
Deep vein thrombosis (DVT), 354–355, 642–643
Deep venous thrombosis (DVT), 1310
Deer-fly fever, 1366–1367
Deficiency amblyopia, 38
Degenerative disk disease, 784–785
Degenerative joint disease (DJD), 110–111
Dehiscence, postsurgical, 1274–1275
Dehydration, 356–357, 924
Dejerine-Sottas disease (DSD), 592–593
Delayed pressure urticaria, 1386–1387
Delirium, 358–359, A-52
d-Aminolevulinic aciduria, 1054–1055
Delusional disorder, 1102
Dementia, 360–361
 ALS-Parkinson-dementia complex of Guam, 46–47
 minimal, 848–849
 presenile, 36–37
 signs and symptoms algorithm for, A-53
Dementia with Lewy bodies (DLB), 360–361
Demyelinating neuropathy, 592–593
Demyelinating optic neuropathy, 920–921
Dens fracture, 250
Dental barotrauma, 150–151
Dental infection, 362–363
Dental trauma, 364–365
Dependence
 alcohol, 24–25
 drug, 1264–1265
Dependent personality disorder, 366–367, 968
Depersonalization disorder, 412–413
Depigmentation, skin, 1418–1419
Depression, 368–369, 372
 adolescent, 370–371
 in bipolar I disorder, 162–163
 in bipolar II disorder, 164–165
 DSM symptoms of, 162
 geriatric, 372–373
 from medical illness, A-54
 postpartum, 373–374
Depressive disorder NOS, adolescent, 370
Depressive episode, major, A-55–56
Deprivation amblyopia, 38
De Quervain tenosynovitis, 350–351
Dermatitis
 allergic, 378–379
 atopic, 376–377
 constitutional, 376–377
 contact, 378–379
 diaper, 380–381
 exfoliative, 382–383
 primary irritant, 378–379
 seborrheic, 386–387

stasis, 388–389
venous, 388–389
Dermatitis congelationis, 506–507
Dermatitis contusiformis, 472–473
Dermatitis gestationis, 598–599
Dermatitis herpetiformis (DH), 384–385
Dermatitis medicamentosa, 338–339
Dermatitis venenata, 378–379
Dermatographism, 1386–1387
Dermatologic drug reactions, 338–339
Dermatomyositis, 1052–1053
Dermatophytid, 686–687
Desert rheumatism, 290–291
Desquamation of interdigital spaces,
426–427
Devic disease, 872–873
Diabetes
bronze, 568–569
CF-related, 346
gestational, 540
Diabetes insipidus, 390–391
Diabetes mellitus
Charcot joint from, 258–259
glucose intolerance in, 540–541
prevention of, 540
screening for, 540
type 1, 392–393
type 2, 394–395, A-59
Diabetic hypoglycemia, 668–669
Diabetic ketoacidosis (DKA), 396–397
Diabetic polyneuropathy, 398–399
Diabetic retinopathy, 1154–1155
Diagnostic workup, preoperative, 1066–1067
Dialectical behavior therapy (DBT), 324
Dialysis-related amyloidosis, 44–45
Diaper dermatitis, 380–381
Diaper rash, 380–381
Diaper rash, *Candida*, 216
Diaphoresis, A-57
Diaphragm, 314–315
Diarrhea
acute, 400–401
antibiotic-associated, 286–287
chronic, 402–403, A-58
Clostridium difficile-associated, 286–287
dehydration from, 922
factitious, 750–751
Giardia lamblia, 400–401
inflammatory, 402–403
osmotic, 402–403
protozoal, 400–401
rice-water, 274–275
secretory, 402–403
traveler's, 400–401, 502–503
viral, acute, 400–401
Dietary protein-sensitivity syndrome,
500–501
Diffuse interstitial lung disease, 404–405
DiGeorge syndrome, 692–693
Digitalis toxicity, 406–407
Dilated cardiomyopathy, 226–227
Diphtheria, 408–409
Diphyllobothrium latum infection, 1284–1285
Diplegic cerebral palsy, 242–243
Dipylidium caninum infection, 1284–1285
Discoid lupus erythematosus (DLE),
790–791

Disordered lactation, 512–513
Dissecting aneurysm, 92–93
Dissecting cellulitis of scalp, 236–237
Disseminated histoplasmosis, 614–615
Disseminated intravascular coagulation (DIC),
410–411
Disseminated sclerosis, 872–873
Disseminated tuberculosis, 1362–1363
Dissociative amnesia, 412–413
Dissociative disorder not otherwise specified
(NOS), 412–413
Dissociative disorders, 412–413
Dissociative fugue, 412–413
Dissociative identity disorder, 412–413
Dissociative type hysterical neurosis, 412–413
Distal hyperkalemic renal tubular acidosis,
1136–1137
Distal renal tubular acidosis, classic,
1136–1137
Diverticula of colon, 414–415
Diverticular disease, 414–415
Diverticular hemorrhage, 414–415
Diverticulitis, 414–415
Dog bites, 72–73
Domestic violence (DV), 416–417
Donovania granulomatis, 548–549
Down syndrome, 418–419
Dracunculosis, 1174–1175
Dracunculus medinensis infection,
1174–1175
Drop attacks, 1248–1249
Dropped uterus, 1390–1391
Drowning, 706–707
Drug abuse, 1264–1265
Drug dependence, 1264–1265
Drug eruptions, 338–339
Drug-induced lichen planus, 774–775
Drug-induced pulmonary eosinophilia,
454–455
Drug-induced thyroiditis, 1318–1319
Drug reactions, cutaneous, 338–339
Dry eye syndrome, 742–743
DS, 418–419
Duchenne muscular dystrophy (DMD),
876–877
Duhring disease, 384–385
Dumdum fever, 758–759
Dumping syndrome, 420–421
Duncan disease, 464
Duodenal ulcer, 984–985
Dupuytren contracture, 422–423
Durand-Nicolas-Favre disease, 798–799
Dwarfism, A-61
Dysbarism, 150–151
Dysentery, amebic, 40–41
Dysfunctional uterine bleeding (DUB),
424–425, 836, A-165
Dyshidrosis, 426–427
Dyshidrotic eczema, 426–427
Dyskinetic cerebral palsy, 242–243
Dyslipidemia, 638–641
hypertiglyceridemia, 664–665
Dysmenorrhea, 428–429
Dysmyelopoietic syndrome, 880–881
Dyspareunia, 430–431, 1212
signs and symptoms algorithm for, A-62
from vaginismus, 1400

Dyspepsia
functional, 432–433
signs and symptoms algorithm for, A-63
Dysphagia, 434–435, A-70
Dyspnea, A-64
Dysreflexia, autonomic, 140–141
Dysthymic disorder, 368
Dysthymic disorder, adolescent, 370
Dystonia, idiopathic cervical (focal),
1330–1331
Dysuria, A-65
E
Early Alzheimer disease, 848–849
Early complement, 692–693
Early infantile autism, 138–139
Ear pain, acute, A-66
Eastern coral snake, 1228
Eating disorders
anorexia nervosa, 82–83
bulimia nervosa, 208–209
Eaton agent pneumonia, 1032–1033
Echinococcus granulosis infection,
1284–1285
Echinococcus multilocularis infection,
1284–1285
Eclampsia, 1062–1063. *See also*
Pre-eclampsia
Ecthyma, 694–695
Ectodermosis erosiva pluriorificialis,
1246–1247
Ectopic cryptorchidism, 332–333
Ectopic gastric mucosal ulceration, 984–985
Ectopic pregnancy, 436–437
Ectropion, 254–255
Eczema, 376–377
atopic, 376–377
dyshidrotic, 426–427
gravitational, 388–389
hand, 426–427
varicose, 388–389
vesicular palmoplantar, 426–427
Eczema herpeticum, 600
Eczematous otitis externa, 940–941
Edema
angioedema, 70–71
focal, A-67
high-altitude cerebral, 34–35
malignant, 84–85
periorbital, A-126
pulmonary, 1106–1107
pulmonary, high-altitude, 34–35
pulmonary, noncardiac, 1138–1139
vibratory angioedema, 1386–1387
EI, 968–969
Eisenmenger complex, 1408
Ejaculation
premature, 438–439
retarded, 438–439
retrograde, 438–439
Ejaculatory disorders, 438–439
Ekbom syndrome, 1144–1147
Elbow
golfers, 456–457
tennis, 456–457
Elfin facies with hypercalcemia,
1434–1435

I-8 . . . Index

- Emboli (embolism)
air, 100–101
arterial, 98–99
arterial gas, 100–101
gas, 100–101
pulmonary, 642–643, 1108–1109
venous thromboembolic disease, 344–345, 642–643
- Emergency contraception, 315
- Emmetropia, 1126–1127
- Emory-Dreifuss muscular dystrophy (EDMD), 876–877
- Emphysema, 280–281
- Encephalitic poliomyelitis, 1040–1041
- Encephalitis, viral, 440–441
- Encephalopathy, hepatic (portosystemic), 578–579
- Encopresis, 442–443
- Endemic typhus, 1372–1373
- Endocarditis, infective (bacterial), 444–445
- Endolymphatic hydrops, 822–823
- Endometrial cancer, 446–447
- Endometrial stromal sarcoma, 446–447
- Endometriosis, 448–449
- Endometriosis externa, 448–449
- Endometritis, 450–451, 978–979
- Endomyometritis, 450–451
- Endomyoparametritis, 450–451
- Endoparametritis, 450–451
- Endotheliosarcoma, 728–729
- End-stage cardiomyopathy, 226–227
- End-stage renal disease (ESRD), 1134–1135
- Energy therapies, 298
- Entamoeba dispar*, 40
- Entamoeba histolytica* infection, 40–41
- Enteric fever
Salmonella, 1180–1181
Salmonella typhi, 1370–1371
- Enterobiasis, 1012–1013
- Enterobius vermicularis* infection, 1012–1013, 1172–1173
- Enterocolitis
pseudomembranous, 1096–1097
Salmonella, 1180–1181
- Enuresis, 452–453, A-68. *See also* Urinary incontinence
- Enuresis, nocturnal, 452–453, 974–975
- Environmental injuries, cold, 506–507
- Eosinophilic pneumonias, 454–455
- Eosinophilic pustular folliculitis (EPF), 498–499
- Epicondylitis, 456–457
- Epidemic cholera, 274–275
- Epidemic keratoconjunctivitis, adenovirus, 20–21
- Epidemic parotitis, 874–875
- Epidemic typhus, 1372–1373
- Epidermodysplasia verruciformis, 1428–1429
- Epidermoid carcinoma, 340–341
- Epididymitis, 458–459
- Epididymo-orchitis, 458–459
- Epigastric pain, A-69
- Epiglottitis, 460–461
- Epilepsy, 1202–1203
absence seizure disorder, 1198–1199
partial seizures, 1200–1201
status epilepticus, 1242–1243
- Episodic tension-type headache (ETTH), 560–561
- Epistaxis, 462–463
- Eponychia, 966–967
- Epstein-Barr virus (EBV) infection, 464–465
- Erectile dysfunction, 466–467
- Erosio interdigitalis blastomycetica, 216
- Erosion, true, 254–255
- Erosive gastritis, 518–519
- Erysipelas, 468–469
- Erythema exudativum multiforme, 470–471
- Erythema infectiosum, 968–969
- Erythema multiforme, 470–471
- Erythema multiforme Hebra, 470–471
- Erythema nodosum, 472–473
- Erythema polymorpha, 1246–1247
- Erythema streptogenes, 1016–1017
- Erythroblastosis fetalis, 474–475
- Erythroblastosis neonatorum, 474–475
- Erythroderma, 382–383
- Erythrodermic psoriasis, 1100–1101
- Erythromelalgia, traumatic, 300–301
- Erythroplakia, 772
- Erythropoietic porphyria, congenital, 1054–1055
- Esophageal regurgitation, A-70
- Esophageal ulcer, 984–985
- Esophageal varices, 476–477
- Esophagitis, *Candida*, 216, 218–219
- Esophagus, Barrett's, 152–153
- Essential cryoglobulinemic vasculitis, 1406–1407
- Essential hypertension, 656–657
- Essential thrombocytosis (ET), 882–883
- Essential tremor syndrome, 478–479
- Estrogen-deficient vulvovaginitis, 1424–1425
- Etonorgestrel implant, 314–315
- Eustachian tube, blocked (patulous), 480–481
- Eustachian tube disorder, 480–481
- Eustachian tube dysfunction (ETD), 480–481
- Euvolemic hyponatremia, 648–649
- Euvolemic hyponatremia, 676–677
- Ewing sarcoma, 176–177
- Exanthem subitum, 1168–1169
- Exfoliative dermatitis (ED), 382–383
- Exfoliative erythroderma, 382–383
- Extension teardrop fracture, 250
- External hordeolum, 624–625
- Extraspincteric fistula, 80–81
- Extravaginal testicular torsion, 1296–1297
- Extrinsic allergic alveolitis, 122–123, 654–655
- Exudative retinal detachment, 1148–1149
- Eyelid margin inflammation, 172–173
- Eyelids, granulated, 172–173
- Eye pain, A-71
- Eyes, cellulitis around, 240–241
- Eye worm, 1174–1175
- F**
- Facial cellulitis, 236–237
- Facial flushing, A-72
- Factitious diarrhea, 750–751
- Factitious disorder, 482–483
- Factor V Leiden, 484–485
- Factor V Leiden mutation, 484–485
- Factor V Leiden thrombophilia, 484–485
- Failure to thrive (FTT), 486–487, A-73
- Falls, 706–707
- Familial amyloidosis, 44–45
- Familial amyotrophic lateral sclerosis (familial ALS), 46–47
- Familial cold autoimmune inflammatory syndrome, 1386–1387
- Familial cold urticaria, 692–693
- Familial hypertension, 656–657
- Familial hypokalemic periodic paralysis (FHPP), 672, 674–675
- Familial Mediterranean fever, 692–693
- Family therapy, 324
- Family violence, 416–417
- Fanconi-type idiopathic infantile hypercalcemia, 1434–1435
- Fasciitis, necrotizing, 48–49
- Fascioscapulothoracic muscular dystrophy (FSHD), 876–877
- Fasting glucose, impaired, 540
- Fasting hypoglycemia, 670–671
- Fatigue
in chronic fatigue syndrome, 278–279
signs and symptoms algorithm for, A-74
- Fat necrosis, of breast, 494
- Fatty liver syndrome, 488–489
- Favre-Racouchot syndrome, 14
- Febrile convulsions, 1204–1205
- Febrile mucocutaneous syndrome, 1246–1247
- Febrile seizures (FS), 1204–1205
- Fecal impaction, 490–491
- Fecal incontinence (FI), 442–443, 696–697
- Female infertility, 700–701
- Female sexual arousal disorder, 1212–1213
- Femoral neck fracture, 610–611
- Fertility, lack of, 700–701, A-110
- Fever
acute, A-76
in first 3 months of life, A-77
postsurgical, 1274–1275
- Fever of unknown origin (FUO), 492–493, A-75
- Fibroadenoma of breast, 494
- Fibrocystic breast disease, 494–495
- Fibrocystic changes of breast (FCC), 494–495
- Fibroids, 1388–1389
- Fibroleiomyoma, 1388–1389
- Fibromatosis colli, 1330–1331
- Fibromyalgia, 496–497
- Fibromyoma, 1388–1389
- Fibrosarcoma, 176–177
- Fibrositis, 496–497
- Fibrous histiocytoma, malignant, 176–177
- Fibula fracture, distal, 74–75
- Fiessinger-Leroy-Reiter disease, 1128–1129
- Fifth disease, 968–969
- Fifth venereal disease, 798–799
- Fil A²⁰²¹⁰ mutation, 1086–1087
- Filiform warts, 1428–1429
- Finger, trigger, 1350–1351
- Fissure, anal, 50–51
- Fistula
anorectal, 80–81
branchial cleft, 188–189
lactiferous, 494
postsurgical, 1274–1275
- Fistula-in-ano, 80–81

Fits, 1202–1203
Fixed drug eruption, 338–339
Flat wart, 1428–1429
Fleas, 708–709
Flexion-rotation injury, cervical, 250
Flexion teardrop fracture, 250
Flexural psoriasis, 1100–1101
Flies, 708–709
Floppy-valve syndrome, 858–859
Flu, 702–703
Flu, avian, 142–143
Fluid balance
 in diabetes insipidus, 390–391
 negative, 356–357
Flushing, facial, A-72
Focal dystonia, 1330–1331
Focal fash, A-151
Focal polyneuropathy, diabetic, 398–399
Folate deficiency, 1416–1417
Follicular carcinoma (of thyroid), 1316–1317
Follicular conjunctivitis, acute adenoviral,
 20–21
Folliculitis, 498–499
 Candida, 216
 S. aureus impetigo, 694–695
Folliculitis barbae traumatica, 1092–1093
Food allergy, 500–501
Food-borne botulism, 180–181
Food poisoning, bacterial, 502–503
Footling breech presentation, 196–197
Foreskin inflammation, 148
Forestier-Certonciny syndrome, 1050–1051
Fothergill neuralgia, 1348–1349
Fournier gangrene, 48–49
Fourth venereal disease, 798–799
Fox impetigo, 694–695
Fractures
 ankle, 74–75
 hip, 610–611
 subchondral, 936–937
Fragile X syndrome (FXS), 504–505
Franceschetti-Valero syndrome, 158–159
Francis disease, 1366–1367
Francisella tularensis, 1366–1367
Frank breech presentation, 196–197
Fredrickson classification, 638
Frontotemporal dementia (FTD), 360–361
Frostbite, 506–507. *See also* Hypothermia
Frostnip, 506–507
Frozen shoulder, 508–509
Fukuyama congenital muscular dystrophy,
 876–877
Full thickness burns, 212–213
Functional dyspepsia, 432–433
Functional renal failure of cirrhosis, 590–591
Fungal arthritis, 106–107
Fungus ball, 122–123
Furfuraceous impetigo, 1016–1017
Furunculosis, 510–511
Fusiform aneurysm, 66

G
G-6PD deficiency, 692–693
Gait disturbance, A-78
Galactorrhea, 494, 512–513
Gallstones, 272–273
Gambling addiction, 514–515

Gamma globulin, high, A-95
Gangrene, gas, 48–49
Ganser syndrome, 412–413
Gardnerella vaginosis, 1402–1403
Gas embolism, 100–101
Gas gangrene, 48–49
Gastric malignancy, 516–517
Gastric mucosal atrophy, 518–519
Gastric ulcer, 984–985
Gastrinoma, in Zollinger-Ellison syndrome,
 1438
Gastritis, 518–519
 atrophic, 1412
 infectious, dehydration from, 922
Gastroesophageal reflux disease (GERD),
 520–521
Gastrointestinal bleeding, A-30
Gastrointestinal candidiasis, 218–219
GC, 542–543
General health assessment, preoperative,
 1066–1067
Generalized anxiety disorder (GAD), 90–91,
 522–523
Generalized convulsive status epilepticus,
 1242–1243
Generalized myasthenia gravis, 878–879
Generalized seizure, 1200
Genetic hypertension, 656–657
Genital herpes, 604–605. *See also* Herpes
 simplex virus (HSV)
Genital prolapse, 1390–1391
Genital relaxation, 1390–1391
Genital tract infection, upper, 978–979
Genital ulcers, A-79
Genital warts, 304–305, 1428–1429
Geographic tongue, 538–539
Geriatric depression, 372–373
German measles, 818–819
Gestational diabetes, glucose intolerance in,
 540
Giant axonal neuropathy (GAN), 592–593
Giant cell arteritis, 524–525, 1406–1407
Giant cell inclusion disease, 348–349
Giant cell tumor of bone, 176–177
Giardia lamblia diarrhea, 400–401
Giardiasis (*Giardia lamblia* infection), 526–527
Gigantism, A-80
Gigantomastia, 494
Gilbert disease, 528–529
Gilchrist disease, 170–171
Gilles de la Tourette disorder/syndrome,
 1332–1333
Gingivitis, 530–531
Gingivitis, acute necrotizing ulcerative,
 1250–1251
Gingivostomatitis, herpetic, 600
Glans penis inflammation, 148–149
Glasgow Coma Score, 1058
Glaucoma
 acute angle-closure, 532–533
 primary closed-angle, 532–533
 primary open-angle, 534–535
Glenohumeral joint osteoarthritis, 1216
Glomerulonephritis, acute, 536–537
Glossitis, 538–539
Glossopharyngeal syncope, 1278–1279
Glucose intolerance, 540–541

Glucose tolerance, impaired, 540
Glucosuria, A-81
Gluten enteropathy, 234–235
Goiter, toxic multinodular, 662–663
Golfers elbow, 456–457
Gonadal dysgenesis, 1368–1369
Gonadotropinoma, 1014–1015
Gonococcal infections, 542–543
Goodpasture's disease, 536–537
Goodsall rule, 80
Gottron sign, 1052
Gout, 544–545
Grain alcohol, methanol-containing, 844–845
Grand mal status epilepticus, 1242–1243
Granulated eyelids, 172–173
Granuloma, pyogenic, 550–551
Granuloma annulare, 546–547
Granuloma gravidum, 550–551
Granuloma inguinale, 548–549
Granuloma telangiectaticum, 550–551
Granulomatous arthritis, infectious, 106–107
Granulomatous disease, chronic, 692–693
Granulomatous thyroiditis, 1318–1319
Graves' disease (GD), 662–663
Gravitational eczema, 388–389
Gray (Gy), 1118
Grey-Turner sign, 66
Grip, 702–703
Gross sexual imposition, 1120
Growth hormone deficiency (GHD), 552–553
Guillain-Barré syndrome, 554–555
Guinea worm, 1174–1175
Gum bleeding, A-27
Gum disease, 530–531
Günther disease, 1054–1055
Guttate psoriasis, 1100–1101
Gynecomastia, 494, 556–557, A-82

H
Habitual abortion, 4–5
Habitual spontaneous abortion, 4–5
Haemophilus ducreyi, 256–257
Haemophilus vaginitis, 1402–1403
Hair, excessive, 612–613
Halitosis, A-83
Hallux valgus, 210–211
Hand eczema, 426–427
Hangman fracture, 250
Hansen's disease, 760–761
Hard corn, 320–321
Hashimoto disease, 1318–1319
Hay fever, 1164–1165
Hb S disease, 62–63
Headache
 chronic, A-84
 cluster, 558–559
 episodic tension-type, 560–561
 Horton, 524–525
 medication overuse, 846–847
 migraine, 846–847
 muscle contraction, 560–561
 stress, 560–561
 tension, 560–561
Head injury, 186–187
Head injury, post-acute care issues, 184–185
Head lice, 976–977
Healing Touch, 298

I-10 . . . Index

- Health care-associated infections (HAI), 908–909
- Healthcare-associated pneumonia (HCAP), 1030–1031
- Health maintenance recommendations, HM-3–7
- birth to 10 years, HM-3
- 11–24 years, HM-4
- 25–45 years, HM-5
- 45–65 years, HM-6
- 66–75 years, HM-7
- grade definitions after May 2007, HM-1–HM-2
- strength of, HM-2
- Hearing loss, 562–563. *See also* Ménière disease
- idiopathic sudden sensorineural, 740–741
- otosclerosis in, 944–945
- Heart disease
- arteriosclerotic, 102–103
- pulmonary, 316–317
- Heart failure, congestive, 308–309, A-45–46
- Heart murmur, A-85
- Heat collapse, 564–565
- Heat exhaustion, 564–565
- Heat illness, 564–565
- Heat injury, 564–565
- Heat prostration, 564–565
- Heat stroke, 564–565
- Heat urticaria, 1386–1387
- Heberden syndrome, 68–69
- Heel pain, A-86
- Heerfordt syndrome, 1182–1183
- Helicobacter pylori* gastritis, 518–519
- Helminths, 718
- Helminths, intestinal, 718–721
- Heloma, 320–321
- Heloma durum, 320–321
- Heloma molle, 320–321
- Hematogenously disseminated invasive candidiasis, 216–217
- Hematoma, subdural, 1260–1261
- Hematuria, 566–567, A-87
- Hemianopia, A-88
- Hemiplegic cerebral palsy, 242–243
- Hemiplegic migraine, 846–847
- Hemochromatosis, 568–569
- Hemodialysis amyloidosis, 44–45
- Hemodynamic renal failure of cirrhosis, 590–591
- Hemoglobin E/ β -thalassemia, 1304
- Hemoglobin H disease, 1304
- Hemolytic anemia, microangiopathic, 1312
- Hemolytic disease of the fetus and newborn (HDFN), 474–475
- Hemophilia, 570–571
- Hemopoietic dysplasia, 880–881
- Hemorrhage
- diverticular, 414–415
- in hemorrhagic disease of newborn, 1417
- in idiopathic hemorrhagic sarcoma, multiple, 728–729
- subarachnoid, 1256–1257
- subdural, 1260–1261
- Hemorrhagic disease of newborn, 1417
- Hemorrhagic gastritis, 518–519
- Hemorrhagic shock, 1214–1215
- Hemorrhoids, 572–573
- Henderson system, 72
- Henoch-Schönlein purpura (HSP), 574–575, 1406–1407
- Heparin-induced thrombocytopenia (HIT), 576–577
- Hepatic coma, 578–579
- Hepatic encephalopathy (HE), 578–579
- Hepatic nephropathy, 590–591
- Hepatitis, autoimmune, 586–587
- Hepatitis A virus (HAV) infection, 580–581
- Hepatitis A virus (HAV) vaccine, 580
- Hepatitis B virus (HBV) infection, 582–583
- Hepatitis B virus (HBV) infection prevention, 582
- Hepatitis B virus (HBV) vaccine, 582
- Hepatitis C virus (HCV) infection, 584–585
- Hepatobiliary disease, 346
- Hepatocellular carcinoma (HCC), 588–589
- Hepatoerythropoietic porphyria, 1054–1055
- Hepatoma, 588–589
- Hepatorenal syndrome (HRS), 590–591
- Herb-medication interactions, 299
- Herbs
- Chinese, 298
- toxic, 299
- Hereditary angioedema (HAE), 70–71
- Hereditary coproporphyrin, 1054–1055
- Hereditary leptocytosis, 1304–1305
- Hereditary neuropathies, 592–593
- Hereditary neuropathy with liability to pressure palsies (HNPP), 592–593
- Hereditary sensory and autonomic neuropathies (HSAN), 592–593
- Heritable amyloidosis, 44–45
- Herniated disk, 784–785
- Herniated nucleus pulposus, 784–785
- Herpangina, 594–595. *See also* Herpes simplex virus (HSV)
- Herpes, genital, 604–605. *See also* Herpes simplex virus (HSV)
- Herpes eye infections, 596–597
- Herpes folliculitis, 498–499
- Herpes genitalis, 604–605
- Herpes gestationis, 598–599
- Herpes iris, 1244–1245
- Herpes keratoconjunctivitis, 600
- Herpes labialis, 600
- Herpes simplex virus (HSV), 600–601
- Herpes simplex virus (HSV) eye infections, 596–597
- Herpes virus, KS-associated, 728–729
- Herpes zoster ophthalmicus, 596–597
- Herpes zoster virus (HZV), 602–603
- Herpetic geometric glossitis (HGG), 538–539
- Herpetic gingivostomatitis, 600
- Herpetic pharyngitis, 600
- Herpetic whitlow, 600
- Heterotopic pregnancy, 436–437
- Heyde syndrome, 590–591
- Hiccups (hiccoughs), 606–607, A-89
- Hidradenitis axillaris, 608–609
- Hidradenitis suppurativa, 608–609
- High-altitude cerebral edema (HACE), 34–35
- High-altitude pulmonary edema (HAPE), 34–35
- High blood pressure, 656–657
- High-density lipoprotein (HDL), 638
- High-grade B-cell lymphoma, Burkitt-like, 800–801
- Hip fracture, 610–611. *See also* Osteoporosis
- Hirschsprung disease, 306–307
- Hirsutism, 612–613
- Histiocytoma, malignant fibrous, 176–177
- Histologic otosclerosis, 944–945
- Histoplasma capsulatum* infection, 614–615
- Histoplasmosis, 614–615
- Histrionic personality disorder, 616–617, 968
- HIV-associated myopathy, 1052
- Hives, 1386–1387
- HIV infection, 618–619
- Hobo spider, 708–709
- Hodgkin disease, 620–621
- Holistic, 298
- Homelessness, 622–623
- Homeopathy, 298
- Homicides, 706–707
- Homme rouge*, 382–383
- Hookworm, 1172–1173
- Hordeolum, 624–625
- Hormonal patch, weekly, 314–315
- Horner's syndrome, 626–627, A-90
- Horton headache, 524–525
- Hospital-acquired methicillin-resistant *Staphylococcus aureus* (HA-MRSA) skin infection, 868–869
- Hospital-acquired pneumonia, 1030–1031
- Hot flashes, 834–835
- Hot flushes, 834–835
- HPV testing, A-136
- HSV keratitis, 596–597
- Hughes syndrome, 86–87
- Human bites, 72–73
- Human immunodeficiency virus (HIV) infection, 618–619
- Human papilloma virus (HPV)
- condylomata acuminata from, 304–305
- DNA of, in cervical carcinoma, 2–3
- immunization against, 244
- testing for, Pap smear, A-136
- verruca plantaris from, 1430–1431
- Humoral immunodeficiencies, 692–693
- Huntington chorea, 628–629
- Huntington disease, 628–629
- Hürthle cell carcinoma (of thyroid), 1316–1317
- Hydrocele, 630–631
- Hydrocele of the cord, 630–631
- Hydrocephalus, normal pressure, 632–633
- Hydronephrosis, 634–635
- Hydrophobia, 1116–1117
- Hymenolepis diminuta* infection, 1284–1285
- Hymenolepis nana* infection, 1284–1285
- Hyperactive reflexes, A-91
- Hyperactivity, 136–137
- Hyperaldosteronism, 28–29
- Hyperaldosteronism, idiopathic, 28–29
- Hyperbilirubinemia
- in Gilbert disease, 524–525
- signs and symptoms algorithm for, A-92

- Hypercalcemia
Fanconi-type idiopathic infantile, 1434–1435
signs and symptoms algorithm for, A-93
Hypercalcemia with malignancy, 636–637.
See also Addison disease; AIDS; HIV infection; Hyperparathyroidism; Hyperthyroidism; Milk-alkali syndrome; Rhabdomyolysis; Sarcoidosis; Tuberculosis (TB)
- Hypercholesterolemia, 638–641, A-94
Hypercoagulable states, 642–643
Hypercoagulation syndrome, 1310–1311
Hyperemesis gravidarum, 644–645
Hypereosinophilic syndrome, 454–455
Hypergammaglobulinemia, A-95
Hyperglycemia, 540, A-96
Hyperhidrosis, 426–427
Hyper-IgE syndrome, 692–693
Hyper-IgM syndrome, 692–693
Hyperkalemia, 646–647, A-97. *See also* Addison disease; Hypokalemia
Hyperlipidemia, A-98–99
Hypernatremia, 648–649, A-100. *See also* Diabetes insipidus
Hyperopia, 1126–1127
Hyperparathyroidism, 650–651. *See also* Multiple endocrine neoplasia (MEN)
Hyperprolactinemia, 652–653. *See also* Galactorrhea; Pituitary adenoma; Prolactinoma
Hypersensitive carotid sinus syndrome, 228–229
Hypersensitivity pneumonitis, 122–123, 654–655
Hypersensitivity vasculitis, 1406–1407
Hypertension
essential (benign, chronic, familial, genetic, idiopathic), 656–657
malignant (accelerated), 660–661
portal, 1056–1057
pregnancy-induced, 1062–1063
pulmonary arterial, idiopathic, 1104–1105
secondary, 658–659
severe, 660–661
Hypertensive crisis, 660–661
Hypertensive emergencies, 660–661
Hyperthermia, 564–565
Hyperthyroidism, 662–663
Hypertriglyceridemia, 664–665, A-101.
See also Hypercholesterolemia
Hypertrophic cardiomyopathy, 226–227
Hypertrophic obstructive cardiomyopathy (HOCM), 688–689
Hyperuricemia, 544
Hyperuricemia of chronic renal failure, 896–897
Hyperuricemic acute renal failure, 896–897
Hypervolemic hypernatremia, 648–649
Hypervolemic hyponatremia, 676–677
Hypoactive reflexes, A-102
Hypoactive sexual desire disorder, 1212–1213
Hypoalbuminemia, A-103
Hypoandrogenism, male, 1298–1299
Hypocalcemia, A-104
Hypochondria, 666–667
Hypochondriacal neurosis, 666–667
Hypochondriasis, 666–667
Hypochromic anemia, 60–61
Hypogammaglobulinemia of infancy, transient, 692–693
Hypoglycemia
diabetic, 668–669
non-diabetic, 670–671
signs and symptoms algorithm for, A-105
Hypogonadism, male, 1298–1299
Hypokalemia, 672–673, A-106
Hypokalemic periodic paralysis (HPP), 674–675
Hypokalemic periodic paralysis (HPP), familial, 672, 674–675
Hypomania, in bipolar II disorder, 164–165
Hypo/manic symptoms, DSM on, 164
Hyponatremia, 676–677, A-107
Hypoparathyroidism, 678–679
Hypopituitarism, 552–553, 680–681
Hypopituitarism syndrome, 680–681
Hypoplasia, of breast, 494
Hypoplastic anemia, 54–55
Hypothalamic failure, adrenocortical insufficiency from, 19
Hypothermia, 682–683, A-108. *See also* Frostbite; Near drowning
Hypothyroidism, adult, 684–685. *See also* Hypothyroidism; Thyroiditis
Hypovolemic hypernatremia, 648–649
Hypovolemic hyponatremia, 676–677
Hypovolemic shock, 1214–1215
Hypoxemia, A-109
Hysterical neurosis, dissociative type, 412–413
- I**
Iatrogenic cryptorchidism, 332–333
Iatrogenic Kaposi's sarcoma, 728–729
Icterus gravis neonatorum, 474–475
Id, 686
Identity disorder, dissociative, 412–413
Idiopathic blenorrhoeal arthritis, 1128–1129
Idiopathic bronchiolitis obliterans and organizing pneumonia, 202–203
Idiopathic cervical dystonia, 1330–1331
Idiopathic dermatomyositis, 1052
Idiopathic facial paralysis, 160–161
Idiopathic generalized torticollis, 1330–1331
Idiopathic hyperaldosteronism (IHA), 28–29
Idiopathic hypertension, 656–657
Idiopathic hypertrophic subaortic stenosis (IHSS), 688–689
Idiopathic hypoparathyroidism, 678–679
Idiopathic interstitial pneumonias (IIPs), 404–405
Idiopathic osteonecrosis, 936–937
Idiopathic polymyositis, 1052
Idiopathic pulmonary arterial hypertension, 1104–1105
Idiopathic pulmonary fibrosis (IPF), 404–405
Idiopathic Raynaud disease, 1122
Idiopathic sudden sensorineural hearing loss, 740–741
Idiopathic thrombocytopenic purpura (ITP), 690–691
Id reaction, 686–687. *See also* Tinea corporis; Tinea pedis
IgA deficiency, 692–693
IgA nephropathy, 536–537
IgE-mediated rhinitis, 1164–1165
IgG heavy chain gene deletions, 692–693
IgG kappa chain defects, 692–693
IgG subclass deficiency, 692–693
Immune hydrops fetalis, 474–475
Immune thrombocytopenic purpura, 690–691
Immunization
hepatitis A virus (HAV), 580
hepatitis B virus (HBV), 582
human papillomavirus (HPV), 244
influenza A, 1036
influenza B, 1036
rabies, 1116–1117
rubella, 818–819
tetanus toxoid, 1300
typhoid fever, 1370
varicella zoster, 260
Immunization, MMWR Quick Guide—Adult, AppB-1–4
2009 changes in, AppB-1
footnotes in, AppB-1
by medical and other indications, AppB-3–4
by vaccine and age group, AppB-2
Immunization schedules, MMWR Quick Guide—Children, AppA-1–4
0–6 years, AppA-2
7–18 years, AppA-3
2009 changes in, AppA-1
catch-up, 4 mos to 18 years, AppA-4
overview of, AppA-1
Vaccine Information Statements in, AppA-1
Immunodeficiency diseases, 692–693.
See also specific diseases
Immunosuppressive Kaposi's sarcoma, 728–729
Impaired fasting glucose (IFG), 540
Impaired glucose tolerance (IGT), 540
Impetigo, 694–695
Impetigo, furfuraceous, 1016–1017
Impetigo contagiosa, 694–695
Impetigo vulgaris, 694–695
Impingement syndrome, 1216
Impingement syndrome, rotator cuff, 1170–1171
Impotence, 466–467
Inclusion body myositis (IBM), 1052
Incomplete abortion, 4–5
Incomplete breech presentation, 196–197
Incontinence
fecal, 442–443
nocturnal, 452–453
rectal, 696–697, A-153
urinary, 698–699
Indian kala azar, 758–759
Indolent Kaposi sarcoma, 728–729
Induced abortion, 4–5
Inevitable abortion, 4–5
Infant botulism, 180–181
Infantile colic, 292–293
Infantile hypertrophic pyloric stenosis, 1114–1115
Infantile kala azar, 758–759
Infantile paralysis, 1040–1041
Infantilism, sexual, 1368–1369

I-12 . . . Index

Infarction
 myocardial, non-ST-segment elevation (NSTEMI), 886–887
 myocardial, perioperative, 1274–1275
 myocardial, ST-segment elevation (STEMI), 884–885
 pulmonary, 1108
Infections. *See also specific types*
 anaerobic and necrotizing, 48–49
 postsurgical, 1274–1275
Infectious bacterial arthritis, 104–105
Infectious croup, 328–329
Infectious cystitis, in females, 1380–1381
Infectious gastritis, 518–519
 dehydration from, 922
Infectious granulomatous arthritis, 106–107
Infectious mononucleosis (IM), 464–465, 862–863
Infectious parotitis, 874–875
Infective endocarditis (IE), 444–445
Infertility, 700–701, A-110
Inflammatory diarrhea, 402–403
Inflammatory myopathy, 1052–1053
Influenza, 702–703
Influenza, avian flu, 142–143
Influenza A vaccine, 1036
Influenza B vaccine, 1036
Influenza vaccine, 1036
Influenza vaccine, avian flu, 142–143
Ingrown toenail, 704–705
Inhalation botulism, 180–181
Inherited coagulable states, 1310
Inhibited female orgasm, 1212–1213
Inhibited orgasm in males, 438–439
Injury and violence, 706–707
Inoculation. *See Immunization; specific immunizations*
Insect bites and stings, 708–709
Insemination, artificial, 116–117
Insomnia, 710–711, A-111
Insular sclerosis, 872–873
Insulin imbalance
 in type 1 diabetes, 392–393
 in type 2 diabetes, 394–395
Insulin reaction, 668–669
Integrative medicine, 298
Intellectual disability, 838–839
Interdigital neuroma, 864–865
Interdigital space desquamation, 426–427
Intermediate uveitis, 1392–1393
Intermenstrual bleeding, 836, A-123
Internal hordeolum, 624–625
International adoption, 22–23
Interpersonal psychotherapy, 324
Intersphincteric fistula, 80–81
Interstitial cystitis, 712–713
Interstitial lung disease (ILD), 404
 diffuse, 404–405
Interstitial nephritis, 714–715
Interstitial plasma cell pneumonia, 1034–1035
Interstitial pneumonitis, allergic, 654–655
Intertrigo, 216
Intervertebral disk dislocation, 784–785
Intervertebral disk disorders, 784–785
Intestinal dysmotility, chronic diarrhea from, 402–403

Intestinal leaks, postsurgical, 1274–1275
Intestinal obstruction, 716–717, A-112
Intestinal parasites, 718–721
Intestinal roundworms, 1172–1173
Intimate partner violence (IPV), 416–417
Intracranial tuberculoma, 1358–1359
Intraligamentary pregnancy, 436–437
Intraluminal fibrosis of distal airways, 202–203
Intrauterine device (IUD), 314–315
Intrauterine insemination (IUI), 116–117
Intravaginal testicular torsion, 1296–1297
Intrinsic factor, 1412
Intussusception, 722–723
Invasive aspergillosis, 122–123
Inverse psoriasis, 1100–1101
Iridocyclitis, 1392–1393
Iritis, 1392–1393
Iron deficiency anemia, 60–61
Iron poisoning, 724–725
Iron toxicity, acute, 724–725
Irritable bowel syndrome (IBS), 726–727
Irritable colon, 726–727
Ischiorectal abscess, 78–79
Islet cell tumor, ulcerogenic, 1438–1439
Isolated CNS vasculitis, 1406–1407

J

Jacksonian march, 1200
Jarisch-Herxheimer reaction, 1281
Jaw, osteonecrosis of, 936
Jeep disease, 1010–1011
Jefferson fracture, 250
Jock itch, 1320–1321
Juvenile arthritis, 108–109
Juvenile chronic arthritis, 108–109
Juvenile idiopathic arthritis, 108–109
Juvenile rheumatoid arthritis (JRA), 108–109

K

Kala azar, 758–759
Kanner autism, 138–139
Kaposi sarcoma, 728–729
Kaposi varicelliform eruption, 600
Kawasaki disease, 1406–1407
Kawasaki syndrome, 730–731
Keloids, 732–733
Keratitis, HSV, 596–597
Keratoconjunctivitis
 epidemic adenoviral, 20–21
 herpes, 600
Keratolysis exfoliativa, 426–427
Keratosis, actinic (solar), 340, 734–735
Kerner disease, 180–181
Ketoacidosis, diabetic, 396–397
Kidney disease, chronic, 1134–1135
Kidney stones, 896–897, 1384–1385
Kienböck disease, 936–937
Klinefelter syndrome, 736–737
Knee pain, 738–739, A-113
KS-associated herpes virus (KSHV), 728–729
Kwashiorkor, 806–807

L

Labor, preterm, 1070–1071
Labral tears, 1216
Labyrinth, 740
Labyrinthitis, 740–741, 1410–1411
Lachman test, 10, 11

Lacrimal disorders, 742–743
Lactase deficiency, 744–745
Lactation, disordered, 512–513
Lactiferous fistulae, 494
Lactose dehydrogenase elevation, A-114
Lactose intolerance, 744–745
Lactose malabsorption, 744
Lamellar dyschidrosis, 426–427
Landry ascending paralysis, 554–555
Landry-Guillain-Barré-Strohl syndrome, 554–555
Large-vessel vasculitis, 1406–1407
Larva migrans, cutaneous and visceral, 1174–1175
Laryngeal cancer, 746–747
Laryngitis, 748–749
Laryngotracheitis, 328–329, 748–749
Laryngotracheitis, obstructive, 408–409
Laryngotracheobronchitis (LTB), 328–329.
 See also Bronchiolitis; Epiglottitis; Tracheitis, bacterial (membranous)
Larynx, cancer of, 746–747
Late complement, 692–693
Latent syphilis, 1280–1281
Latent tuberculosis, 1356–1357
Latent tuberculosis infection (LTBI), 1360–1361
Laxative abuse, 750–751
Lazy eye, 38–39
Lead poisoning, 752–753
Leber hereditary optic neuropathy, 918–919
Lectin deficiency, C3 and mannose binding, 692–693
Leg akathisia, 1144–1147
Leg cellulitis, after saphenous vein removal, 236–237
Legg-Calvé-Perthes disease, 754–755
Legionella pneumonia, 756–757
Legionellosis, 756–757
Legionnaires' disease, 756–757
Leg ulcer, A-115
Leiomyosarcoma, in myometrium or myoma, 446–447
Leishmaniasis, 758–759
Lentigo maligna melanoma, 820
Leprosy, 760–761
Leptocytosis, hereditary, 1304–1305
Leukemia, 762–771
 acute lymphoblastic/lymphocytic, in adults, 766–767
 acute lymphoblastic/lymphocytic, L3 type, 800–801
 acute myeloid, 880
 acute nonlymphoblastic leukemia, in adults, 762–765
 Burkitt cell, 800–801
 chronic lymphocytic, 768–769
 chronic myelogenous, 770–771
 chronic myeloid, 882–883
 chronic myelomonocytic, 880–881
 prolymphocytic, 768
 subacute (smoldering) myeloid, 880–881
Leukocyte adhesion deficiency, 692–693
Leukocytosis, A-116
Leukopenia, A-117
Leukoplakia, oral, 772–773
Levonorgestrel, 314–315

- Levonorgestrel intrauterine system, 314–315
Lewy body dementia, 360–361
Lice, 708–709, 976–977
Lichenoid eruptions, 774–775
Lichen planus, 774–775
Lichen simplex, 776–777
Lichen simplex chronicus, 776–777
Ligament Injury Classification, 1238
Limb-girdle muscular dystrophy, 876–877
Linitis plastica, 516–517
Lip carcinoma, 922–923
Lipids, high, A-98–99
Lipoma, 778–779
Lipoproteins, 638
Listeria monocytogenes, 780–781
Listeriosis, 780–781
Liver, cirrhosis of, 282–283
Liver cancer, 588–589
Liver coma, 578–579
Loa loa infection, 1174–1175
Lobular capillary hemangioma, 550–551
Localized amyloidosis, 44–45
Lockjaw, 1300–1301
Löffler syndrome, 454–455
Löfgren syndrome, 1182–1183
Loop diuretic. *See specific agents*
Loose bowels, 402–403. *See also* Diarrhea
Lou Gehrig disease, 46–47
Louse-borne typhus, 1372–1373
Low back pain, 782–783, A-26
Low back pain, acute, A-118
Low back syndrome, 782–783
Low-density lipoprotein (LDL), 638
Low-lying placenta, 1020–1021
LTB, 328–329
Lumbago, 782–783
Lumbar (intervertebral) disk disorders, 784–785
Lumbar strain/sprain, 782–783
Lumps, breast, 494
Lunatomalacia, 936–937
Lung abscess, 786–787
Lung cancer, 788–789
Lung collapse, 126–127, 1038–1039
Lung lesion, radiopaque, A-150
Lung malignancies, primary, 788–789
Lupus erythematosus, discoid (DLE), 790–791
Lupus nephritis, 536–537
Lyme arthritis, 792–793
Lyme disease, 792–793
Lymphadenopathy, A-119
Lymphangitis, 794–795
Lymphedema, 796–797
Lymphedema praecox, 796–797
Lymphedema tarda, 796–797
Lymphocytic thyroiditis, 1318–1319
Lymphogranuloma inguinale, 798–799
Lymphogranuloma venereum, 798–799
Lymphoma
 Burkitt (African), 800–801
 cutaneous T-cell, 342–343
 malignant, 620–621
 small lymphocytic, 768
- M**
Macular degeneration, age-related, 802–803
Major depression
 in bipolar I disorder, 162–163
 in bipolar II disorder, 164–165
 DSM on, 164
Major depressive affective disorder,
 368–369
Major depressive disorder, postpartum,
 374–375
Malabsorption, 402–403
Malabsorption syndrome
 signs and symptoms algorithm, A-120
 tropical sprue, 1354–1355
Malaria, 804–805
Malayan filariasis, 1174–1175
Male breast hypertrophy, 556–557
Male infertility, 700–701
Malignancy. *See* Cancer; Carcinoma; *specific types*
Malignant edema, 84–85
Malignant fibrous histiocytoma (MFH),
 176–177
Malignant hypertension, 660–661
Malignant lymphoma, 620–621
Malignant lymphoma, Burkitt type small
 noncleaved cell, 800–801
Malignant pustule, 84–85
Malleolus fracture, 74–75
Malnutrition, protein-calorie (PCM), 806–807
Malta fever, 206–207
Mammary abscess, 190–191
Mammography, for breast cancer screening,
 192
Mania
 in bipolar I disorder, 162–163
 DSM symptoms of, 162
Mannose binding lectin deficiency, 692–693
Mansonella ozzardi infection, 1174–1175
Mansonella perstans infection, 1174–1175
Mansonella streptocerca infection,
 1174–1175
Marasmus, 806–807
Marfan syndrome, 808–809
Marginal previa, 1020–1021
Marie-Strümpell disease, 76–77
Massage therapy, 298
Massasaugas, 1226
Mastalgia, 494, 810–811
Mastitis, 494–495, 812–813
Mastodynia, 494, 810–811
Mastoiditis, 814–815
Mastoplasia, 494
Measles
 German, 818–819
 rubeola, 816–817
Median rhomboid glossitis (MRG), 538–539
Medication overuse headache, 846–847
Meditation, 298
Mediterranean anemia, 1304–1305
Mediterranean kala azar, 758–759
Medium-vessel vasculitis, 1406–1407
Medroxyprogesterone, 314
Medullary thyroid carcinoma (MTC),
 1316–1317
Megacolon, aganglionic, 306–307
Meibomian styte, 624–625
Meige disease, 796–797
Melancholy. *See* Depression
Melanoma, 820–821
Meleny ulcer, 48–49
Membranoproliferative glomerulonephritis
 (MPGN), 536–537
Membranous pharyngotonsillar diphtheria,
 408–409
Membranous tracheitis, 1336–1337
Memory impairment, age-associated,
 848–849
Ménière disease, 822–823
Ménière syndrome, 822–823
Meningitis
 aseptic (abacterial), 826–827
 bacterial, 824–825
 cryptococcal, 330–331
 tuberculous, 1358–1359
 viral, 826–827
Meningococemia, 828–829
Meningoencephalitis, 440–441
Meningomyelocele, 830–831
Meniscal injury, 832–833
Menisci, 832
Menometrorrhagia, 836
Menopausal symptoms, 834–835
Menopause, 834–835
Menorrhagia, 836–837, A-121
Menses, absence of, 42–43
Menstrual cramps, 428–429
Mental retardation (MR), 838–839, A-122
Metabolic cataract, 232–233
Metabolic syndrome, 840–841
Metatarsalgia, 842–843. *See also* Morton
 neuroma
Methanol poisoning, 844–845
Methicillin-resistant *Staphylococcus aureus*
 skin infection (MRSA), 868–869
Metritis with pelvic cellulitis, 450–451
Metrorrhagia, 836, A-123
Microangiopathic hemolytic anemia (MAHA),
 1312
Microcytic anemias, 60–61
Microscopic polyangiitis, 1406–1407
Midcycle spotting, 424
Middle ear barotrauma, 150–151
Migraine, 846–847
Migrainous stroke, 846–847
Mild cognitive impairment (MCI), 848–849
Mild traumatic brain injury, 302–303
Miliaria rubra, 850–851
Miliary tuberculosis, 1356–1357, 1362–1363
Milk-alkali syndrome, 852–853
Milk drinker syndrome, 852–853
Milk poisoning, 852–853
Milroy disease, 796–797
Milzbrand, 84–85
Mind-body medicine, 298
Minimal dementia, 848–849
Mini-stroke, 1252, 1340–1341
Minor, corruption of, 1120
Mirena, 314
Miscarriage, 4–5
Missed abortion, 4–5
Mites, 708–709
Mitral regurgitation (MR), 854–855
Mitral stenosis, 856–857
Mitral valve prolapse, 858–859
Mitral valve regurgitation, 854–855
Mixed carotid sinus syndrome, 228–229
Mixed Müllerian carcinosarcoma, 446–447

I-14 . . . Index

- Mixed Müllerian sarcoma, 446–447
MMWR Quick Guide—Adults, AppB-1–4
 2009 changes in, AppB-1
 footnotes in, AppB-1
 by medical and other indications, AppB-3–4
 by vaccine and age group, AppB-2
MMWR Quick Guide—Children, AppA-1–4
 0–6 years, AppA-2
 7–18 years, AppA-3
 2009 changes in, AppA-1
 catch-up, 4 mos to 18 years, AppA-4
 overview of, AppA-1
 Vaccine Information Statements in, AppA-1
MND, 46–47
Moccasins, 1226
Molluscum contagiosum, 860–861
Monilia, 218–219
Monilial vulvovaginitis, 1402–1403
“Mono,” 862–863
Monoclonal gammopathy of undetermined
 significance (MGUS), 870
Mononucleosis, 862–863
Mononucleosis, Epstein-Barr virus,
 464–465
Monoplegic cerebral palsy, 242–243
Monosodium urate (MSU), 544
Monosomy X, 1368–1369
Morning sickness, 644–645
Morton neuroma, 864–865
Mosquito bites, 708–709
Motion sickness, 866–867
Motivational interviewing, 324
Motor neuron disease, 46–47
Motor vehicles crashes, 706–707
Mountain sickness, 34–35
Mouth guard, 364
Moynihan dyspepsia, 432–433
MRSA skin infections, 868–869
Muckle-Wells, 692–693
Mucocutaneous candidiasis, 216, 218–219
Mucocutaneous candidiasis, chronic,
 692–693
Mucocutaneous leishmaniasis, 758–759
Mucocutaneous lymph node syndrome,
 730–731
Mucocutaneous ocular syndrome, 158–159
Mucous colitis, 726–727
Multibacillary leprosy, 760–761
Multifocal polyneuropathy, diabetic,
 398–399
Multiple endocrine neoplasia (MEN), partial,
 1438–1439
Multiple idiopathic hemorrhagic sarcoma,
 728–729
Multiple myeloma, 870–871
Multiple organ dysfunction syndrome (MODS),
 1206
Multiple sclerosis (MS), 872–873
Mumps, 874–875
Münchhausen syndrome, 482–483
Murine typhus, 1372–1373
Muscle contraction headache, 560–561
Muscle-eye-brain disease, 876–877
Muscular atrophy, A-124
Muscular dystrophy, 876–877
Muscular subaortic stenosis, 688–689
Muscular torticollis, 1330–1331
Myasthenia gravis, 878–879
Mycobacterial arthritis, 106–107
Mycoplasma pneumoniae, 1032–1033
Mycosis fungoides, 342–343
Myelodysplastic syndrome (MDS), 762–765,
 880–881
Myeloid leukemia, smoldering (subacute),
 880–881
Myeloma, multiple, 870–871
Myelomeningocele, 830–831
Myelopathy, cervical, 252–253
Myeloperoxidase deficiency, 692–693
Myeloproliferative disorder (MPD), 762
Myeloproliferative disorders (MPD), 882–883
Myocardial infarction (MI)
 non-ST-segment elevation (NSTEMI),
 886–887
 ST-segment elevation (STEMI), 884–885
Myocardial infarction (MI), perioperative,
 1274–1275
Myofascial pain-dysfunction syndrome,
 1290–1291
Myofibroma, 1388–1389
Myoma, 1388–1389
Myometritis, 450–451
Myopathy
 HIV-associated, 1052
 inflammatory, 1052–1053
Myopia, 1126–1127
Myositis, 1052–1053
Myotonic dystrophy, 876–877
Myxedema, 684–685
Myxomatous mitral valve, 858–859
N
Nail abnormalities, A-125
Nail psoriasis, 1100–1101
Nail ringworm, 916–917
Narcissism, 888–889
Narcissistic personality disorder (NPD),
 888–889, 968
Narcolepsy, 890–891
Nasal diphtheria, 408–409
Nasal discharge, chronic, A-126
Nasal polyps, 892–893
National Childhood Vaccine Injury Act, AppA-1
Naturopathy, 298
Near drowning, 894–895
Necator americanus infection, 1172–1173
Neck injuries, cervical hyperextension injuries,
 244–245
Neck pain, A-127
Neck swelling, A-128
Necrotizing arteritis, 1042–1043
Necrotizing cellulitis, 48–49
Necrotizing fasciitis, 48–49
Necrotizing infections, 48–49
Necrotizing malignant otitis externa, 940–941
Negative fluid balance, 356–357
Neglect, child, 262–263
Neisseria gonorrhoeae infection, 542–543
Neisseria gonorrhoeae infectious arthritis,
 104–105
Neisseria meningitidis, meningococemia from,
 828–829
Nematodes, 1174–1175
Nematodes, intestinal, 1172–1173
Neonatal herpes simplex, 600
Neonatal myasthenia gravis, 878–879
Neonatal respiratory distress syndrome,
 1140–1141
Neonatal torticollis, 1330–1331
Nephritis, interstitial (tubulointerstitial),
 714–715
Nephrogenic diabetes insipidus,
 390–391
Nephropathy
 hepatic, 590–591
 urate, 896–897
Nephrotic syndrome, 898–899
Nervous colon, 726–727
Nervous dyspepsia, 432–433
Neuralgia
 Fothergill, 1348–1349
 trigeminal, 1348–1349
Neuritis
 optic, 920–921 (See also Multiple sclerosis
 [MS])
 plantar digital, 864–865
 retrobulbar optic, 920–921
 vestibular, 740–741, 1410–1411
Neuroblastoma, 900–901
Neurocardiogenic syncope, 1278–1279
Neurocutaneous syndromes, 1364
Neurocysticercosis, 1284–1285
Neurodermatitis, 776–777
Neurodermatitis, atopic, 376–377
Neurodermatitis circumscripta, 776–777
Neurofibromatosis. See also Ataxia
 telangiectasia (A-T); Tuberous sclerosis
 complex
 type 1 (NF1), 902–903
 type 2 (NF2), 902–903
Neurogenic shock, 1214–1215
Neurologic deficit, transient, A-161
Neuroma
 acoustic, 16–17
 Morton (interdigital), 864–865
Neuromyelitis optica, 872–873
Neuronitis, vestibular, 740–741
Neuropathic arthropathy, 258–259
Neuropathic joint disease, 258–259
Neuropathic pain, 904–905
Neuropathy
 acute inflammatory, 554–555
 axonal, 592–593
 Charcot, 258–259
 congenital hypomyelinating, 592–593
 demyelinating, 592–593
 diabetic polyneuropathy, 398–399
 hereditary, 592–593
 Leber hereditary optic, 918–919
 optic demyelinating, 920–921
Neurosis
 hypochondriacal, 666–667
 hysterical, dissociative type, 412–413
 obsessive compulsive, 912–913
Neurosyphilis, 1280–1281
Neurotoxic snakebite, 1228–1229
Niacin deficiency, 1416–1417
Nicotine addiction, 906–907
Night terrors, in children, 974–975
Nipple discharge, 494, 512–513
Nocturia, A-129

Nocturnal enuresis (NE), 452–453
Nocturnal enuresis (NE), in children, 974–975
Nocturnal incontinence, 452–453
Nocturnal myoclonus, 988–989
Nocturnal upper airway occlusion, 1222–1223
Nodular interstitial fibrotic lung disease, 118–119
Nonalcoholic fatty liver disease (NAFLD), 488–489, 1244
Nonalcoholic steatohepatitis (NASH), 488–489, 1244–1245
Nonbullous impetigo, 694–695
Noncardiac pulmonary edema, 1138–1139
Noncardiac surgical patient, preoperative evaluation of, 1066–1067
Noncommunicating hydrocele, 630–631
Noncompliance, in children, 974–975
Non-diabetic hypoglycemia, 670–671
Nonorganic dyspepsia, 432–433
Non-small cell lung cancer (NSCLC), 788–789
Nonspecific interstitial pneumonia (NSIP), 404–405
Nonspecific vaginitis, 1402–1403
Non-ST-segment elevation myocardial infarction (NSTEMI), 886–887
Nontyphoidal salmonellosis, 1180–1181
Nonulcer dyspepsia, 432–433
Normal pressure hydrocephalus (NPH), 632–633
North American blastomycosis, 170–171
North American pit viper envenomation, 1226–1227
Nosebleed, 462–463
Nosocomial infections, 908–909
Nosocomial pneumonia, 1030–1031
Nosophobia, 1006–1007
NSAID ulcers, 984–985
Nuchal dystonia, 1330–1331
Nutritional cataract, 232–233
Nystagmus, A-130

O

Obesity, 910–911
Obliterative bronchiolitis, 202–203
Obliterative bursitis, 508–509
Obsessive compulsive disorder (OCD), 912–913
Obsessive compulsive neurosis, 912–913
Obsessive-compulsive personality disorder, 968
Obstipation, 312–313
Obstruction, intestinal, 716–717
Obstructive atelectasis, 126–127
Obstructive laryngotracheitis, 408–409
Obstructive sleep apnea (OSA), 1222–1223
Obstructive uropathy, 634
Occipital condyle fracture, 250
Occlusion, arterial, 98
Occult pneumothorax (OP), 1038–1039
Ocular chemical burns, 914–915
Ocular herpes, 600
Ocular myasthenia gravis, 878–879
Ocular rosacea, 12
Oculosympathetic deficiency, 626–627
Oculosympathetic paralysis, 626–627
Oculosympathetic syndrome, 626–627

Odontoid fracture, 250
Odynophagia, 434
Ofuji disease, 498–499
Ohara disease, 1366–1367
Onchocerciasis, 1174–1175
Oligoarthritis, asymmetric, 112–113
Oliguria, A-18
Oliguric renal failure of cirrhosis, 590–591
Omenn syndrome, 692–693
Onchocerca volvulus infection, 1174–1175
Onchocerciasis, 1174–1175
Onychocryptosis, 704–705
Onychomycosis, 916–917
Onychomycosis, *Candida*, 216
Open neural tube defect, 830–831
Ophthalmoplegic migraine, 846–847
Optic atrophy, 918–919, A-131
Optic neuritis (ON), 920–921. *See also* Multiple sclerosis (MS)
Optic neuropathy
 demyelinating, 920–921
 Leber hereditary, 918–919
Oral candidiasis, 216
Oral cavity neoplasms, 922–923
Oral contraceptive pill (OCP), 314–315
Oral contraceptives (OCs), 314–315. *See also* Contraception
Oral leukoplakia, 772–773
Oral rehydration, 924–925
Oral rehydration solution (ORS), 924
Orbital cellulitis, 238–239
Organic brain syndrome, 358–359
Organ-specific amyloidosis, 44–45
Orgasm, inhibited
 in females, 1212–1213
 in males, 438–439
Ornithosis, 1098–1099
Orofacial dyskinesia, 1286–1287
Oropharyngeal candidiasis, 218–219
Oroya fever, 154–155
Osgood-Schlatter disease, 926–927
Osmotic diarrhea, 402–403
Osteitis deformans, 928–929
Osteoarthritis (OA), 110–111
 of AC joint, 1216
 of glenohumeral joint, 1216
 knee pain from, 738–739
Osteoarthritis, 110–111
Osteochondritis dissecans, 930–931
Osteomalacia, 932–933
Osteomyelitis, 934–935
Osteonecrosis, 936–937
Osteoporosis, 938–939
Osteosarcoma, 176–177
Ostium primum atrial septal defect, 134
Ostium secundum atrial septal defect, 134
Otitic barotrauma, 150–151
Otitis externa, 940–941
Otitis media, 942–943
Otitis media with effusion (OME), 942–943
Otosclerosis, 944–945
Otospongiosis, 944–945
Ovarian cancer, 946–947
Ovarian hyperstimulation syndrome (OHSS), 948–949. *See also* Ovarian tumor, benign; Polycystic ovary disease (PCOD)
Ovarian pregnancy, 436–437
Ovarian tumor, benign, 950–951

Overactive bladder, 698–699
Overflow incontinence, 698–699
Overuse tendon injuries, 1292
Overweight, 910–911
Ozzard filariasis, 1174–1175

P

Paget disease of breast, 952–953
Paget's disease of bone, 928–929
Pain. *See specific types and locations*
Painful bladder syndrome, 712–713
Painful diabetic neuropathy (PDN), 904–905
Painful subacute thyroiditis, 1318–1319
Painless postpartum thyroiditis, 1318–1319
Painless sporadic thyroiditis, 1318–1319
Pain syndromes
 complex regional pain syndrome, 300–301
 myofascial pain-dysfunction syndrome, 1290–1291
 patellofemoral pain syndrome, 970–971
Palliative care, 954–955
Pallor
 generalized, A-133
 localized, A-134
Palmar pompholyx reaction, 426–427
Palpitations, A-135
Palsy
 Bell, 160–161
 cerebral, 242–243
Panarteritis, 1042–1043
Pancreatic cancer, 956–957
Pancreatic ulcerogenic tumor syndrome, 1438–1439
Pancreatitis, 958–959
Panhypopituitarism, 552–553, 680–681
Panic disorder (PD), 960–961
Panic disorder (PD) with agoraphobia, 960–961
Panmyelophthisis, 54–55
Panuveitis, 1392–1393
Papillary carcinoma of thyroid, 1316–1317
Papillitis, 920–921
Pap (Papanicolaou) smear, 2
 abnormal, 2–3
 and HPV testing, A-136
Paracetamol poisoning, 8–9
ParaGard, 314
Paralysis
 hypokalemic periodic, 674–675
 idiopathic facial, 160–161
 infantile, 1040–1041
 Landry ascending, 554–555
Paralysis agitans, 964–965
Paranoid personality disorder, 962–963, 968
Paraphimosis, 1004–1005
Parasites, intestinal, 718–721
Parasternal chondrodynia, 322–323
Parathyroid gland hyperfunction, 650–651
Parathyroid hormone deficiency, 678–679
Parathyroid tetany, 678–679
Parinaud oculoglandular syndrome, 154
Parkinson disease, 964–965
Paronychia, 966–967. *See also* Onychomycosis
Paronychia, *Candida*, 216, 218–219
Parotitis, epidemic (infectious), 874–875
Paroxysmal atrial fibrillation (PAF), 130–131

I-16 . . . Index

- Paroxysmal myoplegia, 674–675
Pars planitis, 1392–1393
Partial previa, 1020–1021
Partial proclivita, 1390–1391
Partial seizure, 1200–1201
Partial thickness burns, 212–213
Parvovirus B19 infection, 968–969
Pasteurella tularensis infection, 1366–1367
Patch, contraceptive, 314–315
Patchy erythema of gastric mucosa, 518–519
Patellofemoral pain syndrome (PFS), 970–971
Patent ductus arteriosus (PDA), 972–973
Patulous eustachian tube dysfunction (PET), 480–481
Pauciarticular juvenile rheumatoid arthritis, 108–109
Paucibacillary leprosy, 760–761
Pediatric behavioral issues, 974–975
Pediculosis, 708–709, 976–977
Pediculus humanus, 976–977
Pelvic cellulitis, metritis with, 450–451
Pelvic girdle pain, A-137
Pelvic inflammatory disease (PID), 978–979
Pelvic inflammatory disease (PID), *Chlamydia*, 266
Pelvic pain, A-125, A-138
 postpartum anterior, A-137
 pregnancy anterior, A-137
Pelvic peritonitis, 978–979
Pemphigoid, 980–981
Pemphigoid, bullous, 980–981
Pemphigoid gestationis, 598–599
Pemphigus vulgaris, 982–983
Penis inflammation, 148–149
Peptic ulcer disease, 984–985
Perianal cellulitis, 236–237
Periarthritis, 1042–1043
Pericapsulitis, 508–509
Pericarditis, 986–987
Perihepatitis, 978–979
Perimenopause, 834
Periodic abstinence, 315
Periodic leg movements of sleep, 988–989
Periodic limb movement disorder (PLMD), 988–989
Periodontal disease, mild, 530–531
Perionychia, 966–967
Perioperative myocardial infarction, 1274–1275
Periorbital cellulitis, 240–241
Periorbital edema, A-139
Peripheral arterial disease (PAD), 990–991
Peripheral breast abscess, 190–191
Peripheral uveitis, 1392–1393
Peritonitis
 acute, 992–993
 pelvic, 978–979
Peritonsillar abscess, 994–995
Pernicious anemia, 1412–1413, 1416–1417
Persistent postconcussive syndrome (PPCS), 1058–1059
Personality disorder (PD), 888, 996–997.
 See also specific disorders
 borderline, 178–179
 cluster A, 962–963, 996–997
 cluster B, 616–617, 888–889, 996–997
 cluster C, 996–997
 dependent, 366–367
 histrionic, 616–617
 narcissistic, 888–889
 paranoid, 962–963
Personality disorder, not otherwise specified, 968
Pertussis, 998–999
Pervasive developmental disorder (PDD), 138–139
Pervasive developmental disorder not otherwise specified (PDD-NOS), 138
Phagocytic immunodeficiencies, 692–693
Phakomatoses, 1364
Phalen sign, 230
Phantom limb pain, 904
Phantom ulcer, 432–433
Pharyngitis, 1000–1001
Pharyngitis, herpetic, 600
Pharyngoconjunctival fever, acute adenoviral, 20–21
Pheochromocytoma, 1002–1003. *See also*
 Hypertension, essential; Multiple endocrine neoplasia (MEN)
Philadelphia chromosome, 770
Phimosis, 1004–1005
Phlebitis, 1270–1271
Phlebothrombosis, 1270–1271
Phobias, 1006–1007
Photoallergic eruptions, 1008–1009
Photodermatitis, 1008–1009
Phototoxic reactions, 1008–1009
Phthirus pubis, 976–977
Phylodes tumors, of breast, 494
Physical abuse, child, 262–263
Physiologic vertigo, 866–867
Pickwickian syndrome, 1222–1223
Pili incarnate, 1092–1093
Pilonidal disease, 1010–1011
Pink eye, 20–21, 310–311
Pinworms, 1012–1013, 1172–1173
Pituitary adenoma, 1014–1015
Pituitary cachexia, 680–681
Pituitary gland failure, 680–681
Pit vipers, 1226
Pit viper snake bites and envenomation, 1226–1227
Pityriasis alba, 1016–1017
Pityriasis rosea, 1018–1019
Pityriasis rubra, 382–383
Pityriasis sicca faciei, 1016–1017
Pityriasis simplex, 1016–1017
Pityriasis streptogenes, 1016–1017
Pityriasis versicolor, 1324–1325
Pityrosporum folliculitis, 498–499
Pivot shift test, 10, 11
Placenta, premature separation of, 6–7
Placental abruption, 6–7
Placenta previa, 1020–1021
Plafond fracture, 74–75
Plague, 1022–1023
Plantar digital neuritis, 864–865
Plantar fasciitis, 1024–1025
Plantar keratoses, intractable, 320–321
Plantar wart, 1428–1429
Plaque psoriasis, 1100–1101
Plasmodium falciparum infection, 804–805
Plasmodium malariae infection, 804–805
Plasmodium ovale infection, 804–805
Plasmodium vivax infection, 804–805
Pleural effusion, 1026–1027, A-140
Pleurisy, 1026–1027
Pneumoconiosis, asbestos, 118–119
Pneumocystis, 1034–1035
Pneumocystis carinii pneumonia (PCP), 1034–1035
Pneumocystis jiroveci pneumonia, 1034–1035
Pneumocystosis, pulmonary, 1034–1035
Pneumonia
 acute interstitial, 404–405
 adenovirus, 20–21
 aspiration, 1028–1029
 bacterial, 1030–1031
 bronchiolitis obliterans and organizing pneumonia, 202–203
 Chlamydia pneumoniae, 264–265
 cold agglutinin-positive, 1032–1033
 community-acquired bacterial, 1030–1031
 Eaton agent, 1032–1033
 eosinophilic, 454–455
 healthcare-associated, 1030–1031
 hospital-acquired, 1030–1031
 idiopathic interstitial, 404–405
 interstitial, plasma cell, 1034–1035
 Legionella, 756–757
 Mycoplasma, 1032–1033
 nosocomial, bacterial, 1030–1031
 Pneumocystis carinii, 1034–1035
 Pneumocystis jiroveci, 1034–1035
 (See also AIDS; HIV infection)
 primary atypical, 1032–1033
 viral, 1036–1037 (See also Bronchiolitis obliterans and organizing pneumonia [BOOP])
 walking, 1032–1033
Pneumonitis
 allergic interstitial, 654–655
 hypersensitivity, 122–123, 654–655
 idiopathic bronchiolitis obliterans and organizing pneumonitis, 202–203
Pneumothorax, 1038–1039
Poisoning
 acetaminophen, 8–9
 botulism, 180–181
 carbon monoxide, 220–221
 food, bacterial, 502–503
 iron, 724–725
 lead, 752–753 (See also Iron deficiency anemia)
 methanol, 844–845
 milk, 852–853
 paracetamol, 8–9
 salicylate, 1176–1177
 sausage, 180–181
 sun, 1008–1009
Poland syndrome, 494
Poliomyelitis, 1040–1041
Pollinosis, 1164–1165
Polyarteritis nodosa, 454–455, 1042–1043, 1406–1407
Polyarthritis, symmetric, 112–113
Polyarticular juvenile rheumatoid arthritis, 108–109
Polycystic kidney disease (PKD), 1044–1045

- Polycystic ovarian syndrome (PCOS), 1046–1047
- Polycystic ovary disease (PCOD), 1046–1047
- Polycythemia
signs and symptoms algorithm for, A-141
splenomegalic, 1048–1049
- Polycythemia vera (PV), 882–883, 1048–1049. *See also* Myeloproliferative disorder (MPD)
- Polydipsia, A-142
- Polymenorrhea, 836
- Polymorphous light eruption (PLE), 1008–1009
- Polymyalgia rheumatica (syndrome), 1050–1051
- Polymyositis-dermatomyositis, 1052–1053
- Polyneuritis
acute idiopathic, 554–555
acute immune-mediated, 554–555
- Polyneuropathy, diabetic, 398–399
- Polyphagia, A-143
- Polyps
cervical, 248–249
colonic, 294–295
- Polyradiculoneuropathy, acute inflammatory demyelinating, 554–555
- Polythelia, 494
- Polyuria, A-144
- Pompholyx, 426–427
- Popliteal cyst, 146–147
- Popliteal mass, A-145
- Poradenitis inguinalis, 798–799
- Porphobilinogen synthetase deficiency, 1054–1055
- Porphyria, 1054–1055
- Porphyria cutanea tarda (PCT), 1054–1055
- Portal hypertension, 1056–1057
- Portosystemic encephalopathy, 578–579
- Postconcussion syndrome (PCS), 303
- Postconcussive syndrome (PCS), 1058–1059
- Posterior cord syndrome, 250–251
- Posterior cruciate ligament (PCL), 10
- Posterior talofibular ligament sprain, 1236–1237
- Posterior uveitis, 1392–1393
- Postherpetic neuralgia (PHN), 602, 904–905
- Posthitis, 148
- Postinfectious glomerulonephritis, 536–537
- Postinfectious thrombocytopenia, 690–691
- Postmenopause, 834
- Postpartum anterior pelvic pain, A-137
- Postpartum depression, 373–374
- Postpartum infection, 450–451
- Postpartum thyroiditis, painless, 1318–1319
- Post-polio syndrome (PPS), 1040–1041
- Postseptal cellulitis, 238–239
- Posttraumatic neuralgia, 300–301
- Posttraumatic stress disorder (PTSD), 1060–1061
- Postural torticollis, 1330–1331
- Potassium, low, 672–673
- Potassium disorders
familial hypokalemic periodic paralysis, 672, 674–675
hyperkalemia, 646–647, A-97 (*See also* Addison disease)
hypokalemia, 672–673, A-106
- Potassium regulation, 646
- Prayer, 298
- Precocious puberty, A-146
- Pre-dementia, 848–849
- Prediabetes, 540
- Pre-eclampsia, 1062–1063
- Pregnancy
abdominal, 436–437
abruptio placentae in, 6–7
cervical, 436–437
ectopic, 436–437
heterotopic, 436–437
intraflagamentary, 436–437
ovarian, 436–437
toxemia of, 1062–1063
tubal, 436–437
vaginal bleeding during, 1396–1397, A-164
- Pregnancy anterior pelvic pain, A-137
- Pregnancy-induced hypertension (PIH), 1062–1063
- Pregnancy tumor, 550–551
- Preleukemia, 880–881
- Premature ejaculation, 438–439
- Premature menopause, 834
- Premature separation of placenta, 6–7
- Prematurity, retinopathy of, 1152–1153
- Premenstrual dysphoric disorder (PMDD), 1064–1065
- Premenstrual syndrome (PMS), 1064–1065
- Preoperative diagnostic workup, 1066–1067
- Preoperative evaluation, of noncardiac surgical patient, 1066–1067
- Preoperative general health assessment, 1066–1067
- Preoperative preparation, 1066–1067
- Prepubescent vulvovaginitis, 1426–1427
- Presbyopia, 1126–1127
- Presenile dementia, 36–37
- Preseptal cellulitis, 240–241
- Pressure ulcer (pressure sore), 1068–1069
- Pressure urticaria, delayed, 1386–1387
- Pre-syncope, 1410
- Preterm labor, 1070–1071
- Priapism, 1072–1073
- Prickle cell carcinoma, 340–341
- Prickly heat, 850–851
- Primary angle-closure glaucoma, 532–533
- Primary atypical pneumonia (PAP), 1032–1033
- Primary closed-angle glaucoma, 532–533
- Primary irritant dermatitis, 378–379
- Primary open-angle glaucoma (POAG), 534–535
- Primary pneumothorax, 1038–1039
- Primary polycythemia, 1048–1049
- Primary progressive multiple sclerosis (PPMS), 872–873
- Primary pulmonary vascular disease, 1104–1105
- Prinzmetal angina, 68–69
- Proclivencia, 1124, 1390–1391
- Proctitis, 1074–1075
- Progressive relapsing multiple sclerosis (PRMS), 872–873
- Prolactin
elevation of, 652–653
regulation of, 652
- Prolactinoma, 1014–1015
- Prolymphocytic leukemia, 768
- Prostatic cancer, 1076–1077
- Prostatic hyperplasia, benign, 1078–1079
- Prostatitis, 1080–1081
- Protein C, 1082, 1084
- Protein-calorie malnutrition (PCM), 806–807
- Protein C deficiency, 1082–1083
- Protein S, 1084
- Protein S deficiency, 1084–1085
- Proteinuria, A-147
- Prothrombin 20210 (mutation), 1086–1087
- Prothrombin G20210A mutation, 1086–1087
- Prothrombin G20210 gene polymorphism, 1086–1087
- Prothrombin gene mutation, 1086–1087
- Protoporphyrin, 1054–1055
- Protozoa, 718
- Protozoal infections. *See also specific infections*
diarrhea from, 400–401
intestinal, 718–721
- Proximal renal tubular acidosis, 1136–1137
- Prurigo, Besnier, 376–377
- Pruritus ani, 1088–1089
- Pruritus vulvae, 1090–1091
- Pseudofolliculitis barbae (PFB), 498, 1092–1093. *See also* Folliculitis; Impetigo
- Pseudogout (CPPD), 1094–1095
- Pseudohyperkalemia, 646
- Pseudohyponatremia, 676
- Pseudomembranous colitis, 1096–1097
- Pseudomembranous croup, 1336–1337
- Pseudomembranous enterocolitis, 1096–1097
- Pseudomonas folliculitis, 498–499
- Pseudomonas* cellulitis, 236–237
- Pseudorubella, 1168–1169
- Pseudo-ulcer dyspepsia, 432–433
- Psittacosis, 1098–1099. *See also Chlamydia pneumoniae*
- Psoriasis, 1100–1101
- Psoriatic arthritis (PsA), 112–113
- Psychodynamic therapy, 324
- Psychosis, 1102–1103
- Psychotherapeutic interventions, 324–325
- Puberty
delayed, A-51
precocious, A-146
- Pubic lice, 976–977
- Puerperal abscess, 190–191
- Pulmonary abscess, 786–787
- Pulmonary arterial hypertension, idiopathic, 1104–1105
- Pulmonary barotrauma, 150–151
- Pulmonary edema, 1106–1107
high-altitude, 34–35
noncardiac, 1138–1139
- Pulmonary embolism (PE), 642–643, 1108–1109, 1310
- Pulmonary eosinophilia
drug-induced, 454–455
simple, 454–455
tropical, 454–455
- Pulmonary heart disease, 316–317
- Pulmonary histoplasmosis, chronic, 614–615

I-18 . . . Index

Pulmonary infarction, 1108
Pulmonary infiltrates with eosinophilia syndrome (PIE), 454–455
Pulmonary pneumocystosis, 1034–1035
Pulmonary valve stenosis, 1110–1111
Pulmonary vascular disease, primary, 1104–1105
Pulse, absent or diminished, A-5
Pupil abnormalities, A-148
Pure cellular immunodeficiencies, 692–693
Purine nucleoside phosphorylase (PNP) deficiency, 692–693
Pustular psoriasis, 1100–1101
Pustule, malignant, 84–85
Pyarthrosis, 104–105
Pyelonephritis, 1112–1113
Pygmy rattlesnake, 1226
Pyloric stenosis, 1114–1115
Pyoderma, 694–695
Pyogenic arthritis, 104–105
Pyogenic granuloma, 550–551
Pyosalpinx, 978–979
Pyridoxine deficiency, 1416–1417
Pyrroloporphyria, 1054–1055
Pyuria, A-149

Q

Qigong, 298
Quadriplegic cerebral palsy, 242–243
Quincke edema, 70–71
Quinsy, 994–995
Quintan fever, 154–155

R

Rabbit fever, 1366–1367
Rabies, 1116–1117. *See also* Animal bites
Rabies vaccine, 1116–1117
Rad, 1118
Radiation, 1118
Radiation-induced thyroiditis, 1318–1319
Radiation sickness, 1118–1119
Radiopaque lung lesion, A-150
Ragpicker's disease, 84–85
Rape, 1120
Rape crisis syndrome, 1120–1121
Rape trauma, 1120–1121
Rash. *See also* Dermatitis
diaper, 380–381
focal, A-151
Rattlesnakes, 1226
Raynaud disease, idiopathic, 1122
Raynaud phenomenon, 1122–1123, A-152
Raynaud syndrome, 1122
Razor bumps, 1092–1093
Reactive amyloidosis, 44–45
Reactive hypoglycemia, 670–671
Recrudescence tuberculosis, 1356–1357
Rectal incontinence, 696–697, A-153
Rectal prolapse, 1124–1125
Recurrent abortion, 4–5
Recurrent acute otitis media, 942–943
Red eye, A-154
Redistributive hyponatremia, 676–677
Red man syndrome, 382–383
Redundant cusp syndrome, 858–859
Reflexes
hyperactive, A-91
hypoactive, A-102

Reflex sympathetic dystrophy (RSD), 300–301, 904
Reflux gastritis, 518–519
Refractive amblyopia, 38
Refractive errors, 1126–1127
Refractory anemia (RA), 54–55, 880–881
Refractory anemia with excess blasts-1 (RAEB-1), 880–881
Refractory anemia with excess blasts-2 (RAEB-2), 880–881
Refractory anemia with excess of blasts in transformation (RAEBT), 880
Refractory anemia with isolated del(5q) syndrome, 880–881
Refractory anemia with ringed sideroblasts (RARS), 880–881
Refractory cytopenia with multilineage dysplasia (RCMD), 880–881
Refractory cytopenia with multilineage dysplasia and ringed sideroblasts (RCMD-RS), 880–881
Rehabilitation, stroke, 1254–1255
Rehydration, oral, 924–925
Reiki, 298
Reiter syndrome, 1128–1129
Relapsing/remitting multiple sclerosis (RRMS), 872–873
Rem, 1118
Renal calculi, 1384–1385, A-155
Renal cell carcinoma (RCC), 1130–1131
Renal failure
acute, 1132–1133
chronic, 1134–1135
of cirrhosis, 590–591
postsurgical, 1274–1275
Renal insufficiency, chronic, 1134–1135
Renal tubular acidosis (RTA), 1136–1137
Reptile bites, 72–73
Resorptive atelectasis, 126–127
Respiratory bronchiolitis-associated interstitial lung disease (RBILD), 404–405
Respiratory complications, surgical, 1274–1275
Respiratory distress syndrome
acute, 1138–1139
neonatal, 1140–1141
Respiratory infection, upper, 1376–1377
Respiratory syncytial virus (RSV) infection, 1142–1143. *See also* Bronchiolitis
Restless legs syndrome (RLS), 1144–1147, A-156. *See also* Periodic limb movement disorder (PLMD)
Restrictive cardiomyopathy, 226–227
Retarded ejaculation, 438–439
Retinal detachment, 1148–1149
Retinal dystrophy, 1150–1151
Retinal migraine, 846–847
Retinitis, 1392–1393
Retinitis pigmentosa (RP), 1150–1151
Retinochoroiditis, 1392–1393
Retinopathy, diabetic, 1154–1155
Retinopathy of prematurity (ROP), 1152–1153
Retractile cryptorchidism, 332–333
Retrolubar optic neuritis, 920–921
Retrograde ejaculation, 438–439
Retrolental fibroplasia, 1152–1153
Rett's disorder, 138

Reversible ischemic neurological accident, 1252–1253
Reversible ischemic neurological deficit (RIND), 1252
Reye syndrome, 1156–1157
Rhabdomyolysis, 1160–1161
Rhabdomyosarcoma, of bladder, 166–167
Rh alloimmunization, 1158–1159
Rhegmatogenous retinal detachment (RRD), 1148–1149
Rheumatic-associated vasculitis, 1406–1407
Rheumatic disease, senile, 1050–1051
Rheumatic fever, 1162–1163
mitral stenosis from, 856–857
Rheumatoid arthritis (RA), 114–115
Rheumatoid arthritis, juvenile (JRA), 108–109
Rheumatoid spondylitis, 76–77
Rh incompatibility, 1158–1159
Rhinitis, allergic, 1164–1165
Rhinosinusitis, 1220–1221
Rh isoimmunization, 1158–1159
Rhizomelic pseudoarthrosis, 1050–1051
Rh sensitization, 1158–1159
Riboflavin deficiency, 1416–1417
Rice-water diarrhea, 274–275
Rickets, 932–933
Rickettsia rickettsii infection, 1166–1167
Riedel disease, 1318–1319
Right ventricular dysplasia, arrhythmogenic, 226–227
Rigid spine syndrome (RSD), 876–877
Ringworm, 1320–1321
nail, 916–917
tinea capitis, 1320–1321
tinea corporis, 1320–1321
tinea cruris, 1320–1321
River blindness, 1174–1175
Rocky mountain spotted fever (RMSF), 1166–1167
Rod-cone dystrophy, 1150–1151
Rodent bites, 72–73
Rosacea, 12–13
Rose fever, 1164–1165
Rose gardener disease, 1234–1235
Roseola, 1168–1169
Rotary atlantoaxial dislocation, 250
Rotator cuff disorders, 1216
Rotator cuff impingement syndrome, 1170–1171
Roundworms
intestinal, 1172–1173 (*See also* Intestinal parasites)
tissue, 1174–1175
Rubella, 818–819
Rubella immunization, 818–819
Rubeola, 816–817
"Runs, the," 402–403. *See also* Diarrhea

S

Saccular aneurysm, 66
Saint Anthony's fire, 468–469
Salicylate poisoning, 1176–1177
Salivary gland calculi, 1178–1179
Salivary gland cancer, 922–923
Salmonella infection, 1180–1181. *See also* Typhoid fever

- Salmonella typhi* infection, 1370–1371
Salmonellosis, nontyphoidal, 1180–1181
Salpingitis, 978–979
Salpingo-oophoritis, 978–979
Salt, low, A-107
Sarcoidosis, 1182–1183
Sarcoma
 chondrosarcoma, 176–177
 endometrial stromal, 446–447
 endotheliosarcoma, 728–729
 Ewing, 176–177
 idiopathic hemorrhagic, 728–729
 Kaposi, 728–729
 leiomyosarcoma, 446–447
 mixed Müllerian, 446–447
 osteosarcoma, 176–177
 rhabdomyosarcoma of bladder, 166–167
Sarcoptes scabiei var. *hominis* infection,
 708–709, 1184–1185
Sausage poisoning, 180–181
Scabies, 708–709, 1184–1185
Scalenus anticus syndrome, 1306–1307
Scalp cellulitis, dissecting, 236–237
Scalp ringworm, 1320–1321
Scarlatina, 1186–1187
Scarlet fever, 1186–1187. *See also*
 Pharyngitis
Schaumann disease, 1182–1183
Schenck disease, 1234–1235
Schizoid personality disorder, 968
Schizophrenia, 1102, 1188–1189
Schizotypal personality disorder, 968
Schwannoma, acoustic neuroma from, 16
Scleritis, 1190–1191
Scleroderma, 1192–1193
Scorpions, 708–709
Scrub typhus, 1372–1373
Sea sickness, 866–867
Seasonal affective disorder (SAD),
 1194–1195
Seborrheic blepharitis, 172–173
Seborrheic dermatitis, 386–387
Secondary bacterial peritonitis (2BP),
 992–993
Secondary hypertension, 658–659
Secondary pneumothorax (SSP), 1038–1039
Secondary progressive multiple sclerosis
 (SPMS), 872–873
Secondary sleep disorders, in children,
 974–975
Secretion of inappropriate antidiuretic
 hormone (SIADH), 1196–1197
Secretory diarrhea, 402–403
Secretory otitis media, 942–943
Seizure disorders, 1202–1203. *See also*
 Status epilepticus
 absence, 1198–1199
 febrile, 1204–1205
 partial, 1200–1201
 status epilepticus, 1242–1243
 tonic-clonic (grand mal, generalized
 convulsive), 1242–1243
Seizures
 febrile, 1204–1205 (*See also* Status
 epilepticus)
 generalized, 1200
 partial, 1200
Senile dementia of the Alzheimer type (SDAT),
 36–37
Senile macular degeneration, 802–803
Senile rheumatic disease, 1050–1051
Senile systemic amyloidosis, 44–45
Sensorineural hearing loss, 562–563
Sepsis, 1206–1207
Sepsis neonatorum, 1206–1207
Septic abortion, 4–5
Septic arthritis, 104–105
Septicemia, 1206–1207
Septic shock, 1206, 1214–1215
Serotonin syndrome, 1208–1209
Serous otitis media, 942–943
Serous retinal detachment, 1148–1149
Serum sickness, 1210–1211
Serum sickness-like reactions (SSLR),
 1210
Severe combined immunodeficiency (SCID),
 692–693
Severe hypertension, 660–661
Severe sepsis, 1206
Sexual abuse, child, 262–263
Sexual assault, 1120–1121
Sexual aversion disorder, 1212–1213
Sexual conduct, 1120
Sexual contact, 1120
Sexual dysfunction in women, 1212–1213
Sexual imposition, 1120
Sexual infantilism, 1368–1369
Sexually transmitted diseases (STDs).
 See specific diseases
Shaving bumps, 1092–1093
Shin-bone fever, 154–155
Shingles, 602–603
Shock, circulatory, 1214–1215
Shock lung, 1138–1139
Short stature, 1368–1369
Shoulder, frozen, 508–509
Shoulder instability, 1216
Shoulder pain, 1216–1217
Shunting, atrial septal defect, 134
Sialadenitis, 1178–1179
Siberian ulcer, 84–85
Sickle cell anemia, 62–63
Sickle cell disease, 62–63
Sickle cell trait (Hb A/S), 62
Sideroblastic anemia, 64–65
Sievert (Sv), 1118
Silent thyroiditis, 1318–1319
Silicosis, 1218–1219
Simmonds syndrome, 680–681
Simple partial seizure, 1200–1201
Simple pulmonary eosinophilia, 454–455
Singultus, 606–607
Sinus barotrauma, 150–151
Sinusitis, 1220–1221
Sinus venosus atrial septal defect, 134
Situational syncope, 1278–1279
Sixth disease, 1168–1169
Sixth venereal disease, 798–799
Skin, bleeding under, A-28
Skin and soft tissue infections (SSTIs), MRSA,
 868–869
Skin infections, MRSA, 868–869
SLE (systemic lupus erythematosus),
 1282–1283
Sleep apnea, obstructive, 1222–1223
Sleep apnea syndrome, 1222–1223
Sleep difficulties, 710–711
Sleep disorders, in children, 974–975
Sleep enuresis, 452–453
Sleep myoclonus, 988–989
Sleep walking, in children, 974–975
Small-cell carcinoma of bladder,
 166–167
Small cell lung cancer (SCLC), 788–789
Small lymphocytic lymphoma, 768
Small-vessel vasculitis, 1406–1407
Smell and taste disorders, 1224–1225
Smokeless tobacco use, 906–907
Smoking, 906–907, 1328–1329
Smoking cessation, 1328–1329
Smoldering myeloid leukemia, 880–881
Snake bites and envenomations, 72–73
 crotaline, 1226–1227
 Elapidae (coral snake), 1228–1229
Social anxiety disorder, 1006–1007
Social phobia, 1006–1007
Sodium
 high, 648–649, A-90
 low, 676–677, A-107
Soft corn, 320–321
Solar keratoses, 340, 734–735
Solar urticaria, 1386–1387
Somatization disorder, 1230–1231
Somatotropin deficiency, 552–553
Somatotropinoma, 1014–1015
Sonoran coral snake, 1228
Sore throat, 1000–1001
South African porphyria, 1054–1055
Space sickness, 866–867
Spasmodic torticollis, 1330–1331
Spastic colon, 726–727
Specific antibody deficiency, 692–693
Specific phobia, 1006–1007
Speckled leukoplakia, 772
Spells, 1202–1203
Spermicides, 314
Spider bites, 708–709
Spina bifida, 830–831
Spinal cord injury, 250
Spinal cord injury, cervical, 250–251
Spinal cord lesion, autonomic dysreflexia in,
 140–141
Spinal dysraphism, 830–831
Spinal poliomyelitis, 1040–1041
Spinal stenosis, 1232–1233
Spinal tuberculoma, 1358–1359
Spinal tuberculous arachnoiditis,
 1358–1359
Spiritual practices, 298
Splenic fever, 84–85
Splenomegaly polycythemia, 1048–1049
Spondylitis, ankylosing (rheumatoid), 76–77
Spondyloarthritis, 112–113
Spondylosis, cervical, 252–253
Sponge, contraceptive, 314
Spontaneous abortion, 4–5
Spontaneous bacterial peritonitis (SBP),
 992–993
Spontaneous hypoglycemia, 670–671
Spontaneous pneumothorax (SP),
 1038–1039

I-20 . . . Index

- Spontaneous subarachnoid hemorrhage, 1256–1257
- Spontaneous urticaria, 1386–1387
- Sporadic thyroiditis, 1318–1319
- Sporotrichosis, 1234–1235
- Sports-related injuries, 706–707
- Spotting, midcycle, 424
- Spousal abuse, 416–417
- Sprains, 1238–1239
- Sprains, ankle, 1236–1237
- Sprue, 234–235
- Sprue, tropical, 1354–1355
- Squamous cell carcinoma
of bladder, 166–167
cutaneous, 340–341
of skin, 340–341
- Squamous intraepithelial lesions and carcinoma, 2–3
- Stable angina, 68–69
- Stage 5 CKD, 1134–1135
- Staphylococcus aureus* folliculitis, 498–499
- Staphylococcal toxic shock syndrome (TSS), 1240–1241
- Stasis dermatitis, 388–389
- Stature, short, 1368–1369
- Status convulsivus, 1242–1243
- Status epilepticus, 1242–1243
- Status migrainosus, 846–847
- Steatohepatitis, 488–489
- Steatohepatitis, nonalcoholic, 1244–1245
- Steatonecrosis, 488–489
- Steatosis, 488–489
- Stein-Leventhal syndrome, 1046–1047
- Stenosis. *See specific types*
- Sternocleidomastoid torticollis, 1330–1331
- Sternocleidomastoid tumor, 1330–1331
- Stevens-Johnson syndrome, 1246–1247
- Still disease, 108–109
- Stings, insect, 708–709
- Stokes-Adams attacks, 1248–1249
- Stomach cancer, 516–517
- Stomatitis, 1250–1251
- Stones
bladder (urinary tract), 1384–1385
CBD, 270–271
gallstones, 272–273
kidney, 896–897, 1384–1385
- Strabismic amblyopia, 38
- Strains, 1238–1239
- Streptococcal throat, 1000–1001
- Streptococcus pneumoniae* meningitis, 824–825
- Streptococcus pyogenes* lymphangitis, 794–795
- Stress cardiomyopathy, 1342–1343
- Stress headache, 560–561
- Stress incontinence, 698–699
- Stress ulceration, 518–519
- Stroke, 1252–1253
heat, 564–565
migrainous, 846–847
signs and symptoms algorithm for, A-157
- Stroke rehabilitation, 1254–1255
- Strongyloides stercoralis* infection, 1172–1173
- Strumous bubo, 798–799
- ST-segment elevation myocardial infarction (STEMI), 884–885
- Stye, 624–625
- Subacute bacterial arthritis, 106–107
- Subacute bacterial endocarditis, 444–445
- Subacute cutaneous lupus erythematosus (SACLE), 790–791
- Subacute myeloid leukemia, 880–881
- Subacute thyroiditis, 1318–1319
- Subaortic stenosis
idiopathic hypertrophic, 688–689
muscular, 688–689
- Subarachnoid hemorrhage, 1256–1257
- Subareolar abscess, 190–191
- Subcapital fracture, 610–611
- Subchondral fracture, 936–937
- Subclavian steal syndrome, 1258–1259
- Subdiaphragmatic abscess, 1262–1263
- Subdural hematoma, 1260–1261
- Subdural hemorrhage, 1260–1261
- Subphrenic abscess, 1262–1263
- Subretinal neovascularization, 802–803
- Substance abuse, 1264–1265
alcohol, 24–25
drug, 1264–1265
laxative, 750–751
- Substance use disorders, 1264–1265
- Sudden infant death syndrome (SIDS), 1266–1267
- Sudden single-sided deafness (SSNHL), 480
- Suffocation, 706–707
- Suicide, 706–707, 1268–1269
- Sun allergy, 1008–1009
- Sun poisoning, 1008–1009
- Superficial thrombophlebitis, 1270–1271
- Superior mediastinal syndrome, 1272–1273
- Superior vena cava obstruction, 1272–1273
- Superior vena cava syndrome, 1272–1273
- Suppurative arthritis, 104–105
- Suppurative thyroiditis, 1318–1319
- Supraglottitis, 460–461
- Suprlevator abscess, 78–79
- Suprasphincteric fistula, 80–81
- Surgical complications, 1274–1275
- Surgical patient, noncardiac, preoperative evaluation of, 1066–1067
- Suspected non-accidental trauma, 262–263
- Swimmer's ear, 940–941
- Sycosis barbae, chronic, 1092–1093
- Symmetric polyarthritis, 112–113
- Symmetric polyneuropathy, diabetic, 398–399
- Sympathetically maintained pain, 300–301
- Symptothermal method, 314–315
- Syncope, 1276–1277, A-158
- Syncope, neurally mediated, 1278–1279
- Syndesmotric sprain, 1236
- Syndrome of inappropriate antidiuretic hormone (SIADH), 1196–1197
- Syndrome X, 840–841
- Syphilis, 1280–1281
- Systemic inflammatory response syndrome (SIRS), 1206–1207
- Systemic juvenile rheumatoid arthritis, 108–109
- Systemic lupus erythematosus (SLE), 1282–1283
- Systemic sclerosis (SSc), 1192–1193
- Systolic click-murmur syndrome, 858–859
- ### T
- Taenia saginata* infection, 1284–1285
- Taenia solium* infection, 1284–1285
- Tai chi, 298
- Tailor's bunion, 211
- Takayasu arteritis, 1406–1407
- Takotsubo cardiomyopathy, 1342–1343
- Tamponade, cardiac, 224–225
- Tapeworm infestation, 1284–1285
- Tardive dyskinesia (TD), 1286–1287
- Taste disorders, 1224–1225
- T-cell lymphoma, cutaneous, 342–343
- Teardrop fractures, flexion and extension, 250
- Tear ducts, blocked, 742–743
- Tear film, 742
- Teeth, natal/neonatal, 1288
- Teething, 1288–1289
- Telogen effluvium, 30–31
- Temper tantrums, 974–975
- Temporal arteritis, 524–525
- Temporomandibular joint (TMJ) syndrome, 1290–1291
- Tendinitis, 1292–1293
- Tendinopathies, 1292
- Tendinosis, 1292
- Tennis elbow, 456–457
- Tenosynovitis, 1292
- Tenosynovitis, De Quervain, 350–351
- Tension headache, 560–561
- Terminal reservoir syndrome, 490–491
- Tertiary bacterial peritonitis (3BP), 992–993
- Testes, undescended, 332–333, A-48
- Testicular malignancies, 1294–1295
- Testicular torsion, 1296–1297
- Testosterone deficiency, male, 1298–1299
- Tetanus, 1300–1301
- Tetanus toxoid, 1300
- Tetany, parathyroid, 678–679
- Tetralogy of Fallot, 1302–1303
- Texas coral snake, 1228
- Thalassemia, 1304–1305
- Thalassemia major, 1304–1305
- Thalassemia minor, 1304–1305
- Thalassemia trait, 1304
- Thanatophobia, 1006–1007
- Therapeutic insemination (TI), 116–117
- Therapy-related myelodysplastic syndromes (t-MDS), 880–881
- Thirst, excess, A-142
- Thoracic outlet syndrome (TOS), 1306–1307
- Threatened abortion, 4–5
- Three-day measles, 818–819
- Thromboangiitis obliterans (TAO), 1308–1309
- Thrombocytopenia, 1312
heparin-induced, 576–577
postinfectious, 690–691
signs and symptoms algorithm for, A-159
- Thromboembolic disease, venous, 344–345, 642–643
- Thrombophilia, 1310–1311

- Thrombophilia, factor V Leiden, 484–485
Thrombophlebitis, superficial, 1270–1271
Thrombosis
arterial, 98–99
deep vein (DVT), 354–355, 642–643
(See also Antithrombin deficiency; Factor V Leiden; Protein C deficiency; Protein S deficiency; Prothrombin 20210 (mutation); Pulmonary embolism (PE))
Thrombotic thrombocytopenic purpura (TTP), 1312–1313
Thrush, 216, 218–219
Thyroglossal duct cyst, 1314–1315
Thyroiditis, 1318–1319
Thyroid malignant neoplasia, 1316–1317.
See also Multiple endocrine neoplasia (MEN)
Thyrotoxic hypokalemic periodic paralysis (THPP), 674–675
Thyrotoxicosis, 662–663
Thyrotropinoma, 1014–1015
Tibia fracture, distal, 74–75
Tic douloureux, 1348–1349
Tick fever, 1366–1367
Ticks, 708–709
TICS, 1264
Tics, in Tourette syndrome, 1332–1333
Tietze disease and syndrome, 322–323
Timorian filariasis, 1174–1175
Tinea capitis, 30–31, 1320–1321
Tinea corporis, 1320–1321
Tinea cruris, 1320–1321
Tinea pedis, 1322–1323
Tinea unguium, 916–917
Tinea versicolor, 1324–1325
Tinel sign, 230
Tinnitus, 1326–1327
Tissue roundworms, 1174–1175
Tobacco use, 906–907, 1328–1329
Todd paresis, 1200
Toenail, ingrown, 704–705
Tongue cancer, 922–923
Tonic-clonic status epilepticus, 1242–1243
Tonsillar exudates, A-160
Tonsillitis, 1000–1001
Tooth eruption, 1288
Tooth fracture, 364–365
Tooth loss, 364–365
Torticollis, 1330–1331
Torulosis, 330–331
Total colonic aganglionosis, 306–307
Total previa, 1020–1021
Total proclivencia, 1390–1391
Tourette syndrome (TS), 1332–1333
Toxemia of pregnancy, 1062–1063
Toxic adenoma, 662
Toxic cataract, 232–233
Toxic epidermal necrolysis (TEN), 1246–1247
Toxic multinodular goiter, 662–663
Toxic paralytic anemia, 54–55
Toxic shock syndrome (TSS), staphylococcal, 1240–1241
Toxocara canis infection, 1174–1175
Toxocara cati infection, 1174–1175
Toxocarasis, 1174–1175
Toxoplasma gondii infection, 1334–1335
Toxoplasmosis, 1334–1335
Tracheitis, bacterial (membranous), 1336–1337
Tracheobronchitis, 204–205
Traction alopecia, 30–31
Traction detachment, 1148–1149
Traditional Chinese medicine, 298
Transformed migraine, 846–847
Transfusion reaction, 1338–1339
Transfusion-related acute lung injury (TRALI), 1338–1339
Transient aplastic crisis (TAC), 968
Transient hypogammaglobulinemia of infancy, 692–693
Transient incontinence, 698–699
Transient ischemic attack (TIA), 1252, 1340–1341, A-161
Transient neurologic deficit, A-161
Transient stress cardiomyopathy (TSC), 1342–1343
Transitional cell carcinoma, of bladder, 166–167
Transsphincteric fistula, 80–81
Trauma. See also specific types
dental, 364–365
rape, 1120–1121
suspected non-accidental, 262–263
Traumatic brain injury (TBI), 186–187
mild, 302–303, 1058
post-acute care issues in, 184–185
Traumatic erythromelalgia, 300–301
Traumatic pneumothorax (TP), 1038–1039
Traumatic subarachnoid hemorrhage, 1256–1257
Traveler's diarrhea, 400–401, 502–503
Tremor, essential, 478–479
Trench fever, 154–155
Trich, 1346–1347
Trichinella spiralis infection, 1172–1173, 1344–1345
Trichinelliasis, 1344–1345
Trichinellosis, 1344–1345
Trichinosis, 1172–1173
Trichomonal urethritis, 1346–1347
Trichomonas vaginalis infection, 1346–1347
Trichomoniasis, 1346–1347
Trichophytid, 686–687
Trichostrongylus infection, 1172–1173
Trichuris trichiura infection, 1172–1173
Trifacial neuralgia, 1348–1349
Trigeminal neuralgia, 1348–1349. See also Headache, cluster
Trigeminal neuralgia syncope, 1278–1279
Trigger finger, 1350–1351
Trigger points, 496
Triglycerides, 664
Triglycerides, high, 664–665, A-101
Trisomy 21, 418–419
Trochanteric bursitis, 1352–1353
Trochanteric fracture, 610–611
Troisier-Hanot-Chauffard syndrome, 568–569
Tropical bubo, 798–799
Tropical pulmonary eosinophilia, 454–455
Tropical sprue, 1354–1355. See also Celiac disease
True erosion, 254–255
Tubal pregnancy, 436–437
Tuberculoma, spinal (intracranial), 1358–1359
Tuberculosis (TB), 1356–1357. See also specific types
CNS, 1358–1359
disseminated, 1362–1363
latent, 1360–1361
miliary, 1362–1363
Tuberculous meningitis, 1358–1359
Tuberous sclerosis complex, 1364–1365.
See also Neurofibromatosis
Tubo-ovarian abscess, 978–979
Tubulointerstitial nephritis (TIN), 714–715
Tularemia, 1366–1367
Turner syndrome (TS), 1368–1369
TWAR agent, 264–265
Tyloma, 320–321
Type 1 diabetes mellitus, 392–393
Type 2 diabetes mellitus, 394–395, A-59
Typhoid fever, 1370–1371
Typhoid fever immunization, 1370
Typhus, louse-borne (murine), 1372–1373
Typhus abdominalis, 1370–1371
Typhus fevers, 1372–1373
U
Ulcer
corneal, 318–319
Cullen, 48–49
decubitus, 1068–1069
duodenal, 984–985
ectopic gastric mucosal, 984–985
esophageal, 984–985
gastric, 984–985
genital, A-79
leg, A-115
Meleney, 48–49
NSAID, 984–985
in pancreatic ulcerogenic tumor syndrome, 1438–1439
in peptic ulcer disease, 984–985
phantom, 432–433
pressure, 1068–1069
Siberian, 84–85
stress, 518–519
Ulcerative colitis, 1374–1375
Ulcerogenic islet cell tumor, 1438–1439
Ullrich-Turner syndrome, 1368–1369
Ulnar neuropathy, 334–335
Ulrich congenital muscular dystrophy, 876–877
Undescended testes (UDT), 332–333, A-48
Undifferentiated lymphoma, Burkitt and non-Burkitt type, 800–801
Undulant fever, 206–207
Unilateral aldosterone-producing adenoma (APA), 28–29
Unipolar affective disorder, 368–369
Unstable angina, 68–69
Upper airway occlusion, nocturnal, 1222–1223
Upper extremity pain, A-132
Upper genital tract infection, 978–979
Upper respiratory infection (URI), 1376–1377
Urate nephropathy, 896–897

I-22 . . . Index

Urban trench fever, 154–155
Uremia, A-162
Urethral bleeding, A-29
Urethral discharge, A-163
Urethritis, 1378–1379
Urethritis, trichomonal, 1346–1347
Urethro-oculosynovial syndrome, 1128–1129
Urge incontinence, 698–699
Urgency frequency syndrome, 712–713
Uric acid nephrolithiasis, 896–897
Uric acid stones, 896–897
Urinary calculus, A-155
Urinary incontinence, 698–699
Urinary retention, postsurgical, 1274–1275
Urinary tract infection (UTI)
 acute upper, 1112–1113
 in females, 1380–1381
 in males, 1382–1383
Urolithiasis, 1384–1385
Uropathy, obstructive, 634
Urticaria, 1386–1387
 drug-related, 338–339
 familial cold, 692–693
Urticarial vasculitis, 1386–1387
U.S. Preventive Services Task Force
 Recommendations, HM-1–7
 Birth to 10 years, HM-3
 11–24 years, HM-4
 25–45 years, HM-5
 45–65 years, HM-6
 66–75 years, HM-7
 grade definitions after May 2007 in, HM-1–2
 levels of certainty of benefits in, HM-2
 strength of, HM-1
Uterine bleeding
 abnormal (AUB), 424–425
 dysfunctional, 424–425, 836, A-165
Uterine cancer, 446–447
Uterine descensus, 1390–1391
Uterine myomas, 1388–1389
Uterine prolapse, 1390–1391
Uveitis, 1392–1393

V
Vaccination (vaccine). *See* Immunization;
 specific immunizations
Vaccine Information Statements, AppA-1
Vaginal adenosis, 1394–1395
Vaginal bleeding
 dysfunctional, A-165
 during pregnancy, 1396–1397, A-164
Vaginal contraceptive ring, 314–315
Vaginal discharge, A-60
Vaginal intraepithelial neoplasia (VAIN), 1398–1399
Vaginal malignancy, 1398–1399
Vaginal yeast infection, 1402–1403
Vaginismus, 1212, 1400–1401
Vaginitis, 1402–1403, 1426–1427
Vaginitis, *Candida*, 216, 218–219
Vaginosis, 1402–1403
Valley fever, 290–291
Valvular stenosis, aortic, 94–95

Vaquez disease, 1048–1049
Vaquez-Osler disease, 1048–1049
Variant angina, 68–69
Varicella, 260–261
Varicella bullosa, 260
Varicella zoster virus (VZV), 260–261
 eye infections with, 596–597
 reactivation, 602–603
Varicella zoster virus (VZV) vaccine, 260
Varicose eczema, 388–389
Varicose veins, 1404–1405
Variegated porphyria, 1054–1055
Vascular dementia (VaD), 360–361
Vasculitic syndromes, secondary, 1406–1407
Vasculitis, 1406–1407
Vasculitis, urticarial, 1386–1387
Vasodepressor carotid sinus syndrome, 228–229
Vasopressin deficiency, 390
Vasovagal syncope, 1278–1279
Venereal wart, 1428–1429
Venomous snakebite, 1226–1227
Venous dermatitis, 388–389
Venous thromboembolic disease, 354–355, 642–643
Venous thrombosis, 1310
Ventilator-associated pneumonia (VAP), 1030–1031
Ventricular septal defect (VSD), 1408–1409
Ventricular septal defects, tetralogy of Fallot, 1302–1303
Verrucae, 1428–1429
Verruca plana, 1428–1429
Verruca plantaris, 1428–1429, 1430–1431
Verruca vulgaris, 1428–1429
Verrucous carcinoma, 340
Verruga peruana, 154–155
Vertigo, 1410–1411
 physiologic, 866–867
 signs and symptoms algorithm for, A-166
Vesical calculus, 1384–1385
Vesicular palmoplantar eczema, 426–427
Vestibular dysfunction, acute, A-166
Vestibular neuritis, 740–741
Vestibular neuronitis, 740–741
Vestibular neuronitis, acute, 1410–1411
Vibratory urticaria/angioedema, 1386–1387
Vibrio cholerae infection, 274–275
Vincent disease, 1250–1251
Vincent stomatitis, 1250–1251
Violence, 706–707
Violence, domestic, 416–417
Vipers, pit, 1226
Viral-associated vasculitis, 1406–1407
Viral croup, 328–329
Viral diarrhea, acute, 400–401
Viral encephalitis, 440–441
Viral meningitis, 826–827
Viral pneumonia, 1036–1037
Virchow's triad, 1108

Visceral larva migrans, 1174–1175
Visceral leishmaniasis, 758–759
Vitamin B₂ deficiency, 1416–1417
Vitamin B₃ deficiency, 1416–1417
Vitamin B₆ deficiency, 1416–1417
Vitamin B₁₂ deficiency, 1412–1413, 1416–1417
Vitamin C deficiency, 1416–1417
Vitamin D deficiency, 1414–1415, 1416–1417
Vitamin deficiencies, 1416–1417
Vitamin K deficiency, 1416–1417
Vitiligo, 1418–1419
Vomiting, cyclic vomiting syndrome, 344–345
Von Recklinghausen disease (NF1), 902–903
Von Willebrand disease (VWD), 1420–1421
von Zumbusch psoriasis, 1100–1101
Vulvar malignancy (cancer), 1422–1423
Vulvar pruritus, 1090–1091
Vulvitis, 1426–1427
Vulvodynia, 1090–1091
Vulvovaginal candidiasis (VVC), 1402–1403
Vulvovaginitis
 Candida, 218–219
 estrogen-deficient, 1424–1425
 prepubescent, 1426–1427

W
Walker-Warburg syndrome, 876–877
Walking pneumonia, 1032–1033
Warts, 1428–1429
Warts, genital, 304–305
Warts, plantar, 1430–1431
Wasp stings, 708–709
Water balance, defective, in diabetes insipidus, 390–391
Waterhouse-Frederickson syndrome, 18–19
Wedge compression fracture, cervical, 250
Weekly hormonal patch, 314–315
Wegener granulomatosis, 1406–1407, 1432–1433. *See also* Polyarteritis nodosa
Weight loss, A-167
Weir Mitchell causalgia, 300–301
Welts, 1386–1387
Werlhof disease, 690–691
Wessel criteria, 292
Wet lung, 1138–1139
WHIM syndrome, 692–693
Whiplash, 244–245
Whipple's triad, 670
Whipworm, 1172–1173
White liver disease, 1156–1157
Whooping cough, 998–999
Williams-Beuren syndrome, 1434–1435
Williams syndrome, 1434–1435
Winter blues, 1194–1195
Wiskott-Aldrich syndrome (WAS), 692–693

Withdrawal, alcohol, 26–27
Withdrawal method, 314–315
Wolhynia fever, 154–155
Woolsorter's disease, 84–85
Worms, 718
Worms, intestinal, 718–721
Wound botulism, 180–181
Wryneck, acute, 1330–1331
Wuchereria bancrofti infection,
1174–1175
Wuchereria bancrofti lymphangitis,
794–795

X
X-linked Alport syndrome (XLAS), 32–33
X-linked lymphoproliferative syndrome, 464,
692–693

Y
Yeast infection
 Candida, 216–219
 mucocutaneous, 218–219
 vaginal, 1402–1403
Yersinia pestis infection, 1022–1023
Yoga, 298

Z
Zeisian stye, 624–625
Z-E syndrome, 1438–1439
Zinc deficiency, 1436–1437
Zollinger-Ellison syndrome,
1438–1439
Zoophobia, 1006–1007
Zoster-associated pain,
602
Zuelzer-Wilson disease,
306–307
Zuska disease, 494

P1: OSO/OVY P2: OSO/OVY QC: OSO/OVY T1: OSO
LWBK188-Index LWBK188-Domino June 13, 2009 4:23

P1: OSO/OVY P2: OSO/OVY QC: OSO/OVY T1: OSO
LWBK188-Index LWBK188-Domino June 13, 2009 4:23

P1: OSO/OVY P2: OSO/OVY QC: OSO/OVY T1: OSO
LWBK188-Index LWBK188-Domino June 13, 2009 4:23

P1: OSO/OVY P2: OSO/OVY QC: OSO/OVY T1: OSO
LWBK188-Index LWBK188-Domino June 13, 2009 4:23

P1: OSO/OVY P2: OSO/OVY QC: OSO/OVY T1: OSO
LWBK188-Index LWBK188-Domino June 13, 2009 4:23